

From the:

INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

To: HASELTINE LAKE & CO. Imperial House		PCT	
15-19 Kingsway London WC2B 6UD		WRITTEN OPINION	
GRANDE BRETAGNE			(PCT Rule 66)
		Date of mailing (day/month/year) 24.01.2000	
Applicant's or agent's file reference HL58501/002/LCH		REPLY DUE	within 3 month(s) from the above date of mailing
International application No. PCT/GB99/01461	International filing date (c	lay/month/year)	Priority date (day/month/year) 08/05/1998
International Patent Classification (IPC) or bot A61K39/00	h national classification and	d IPC	
Applicant			
UNIVERSITY OF BRISTOL.et.al			
This written opinion is the first draw	n up by this Internationa	al Preliminary Exami	ning Authority.
2. This opinion contains indications rel	ating to the following ite	ms:	
Ⅰ			
II Priority			
	-	velty, inventive step	and industrial applicability
IV ☐ Lack of unity of inventio			
	V Reasoned statement under Rule 66.2(a)(ii) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement		
VI 🗵 Certain document cited			
VII 🗆 Certain defects in the in	ternational application		
VIII Certain observations on	the international applic	ation	
3. The applicant is hereby invited to re	eply to this opinion.	•	
When? See the time limit indicated request this Authority to gra			f that time limit,
	How? By submitting a written reply, accompanied, where appropriate, by amendments, according to Rule 66.3. For the form and the language of the amendments, see Rules 66.8 and 66.9.		
For the examiner's obligation	Also: For an additional opportunity to submit amendments, see Rule 66.4. For the examiner's obligation to consider amendments and/or arguments, see Rule 66.4 bis. For an informal communication with the examiner, see Rule 66.6.		
If no reply is filed, the international preli	minary examination report	will be established on th	ne basis of this opinion.
The final date by which the international preliminary examination report must be established according to Rule 69.2 is: 08/09/2000.			
	•		

Name and mailing address of the international preliminary examining authority:



European Patent Office D-80298 Munich

Tel. +49 89 2399 - 0 Tx: 523656 epmu d

Fax: +49 89 2399 - 4465

Authorized officer / Examiner

Luis Alves, D

Formalities officer (incl. extension of time limits)

Digiusto, M

Telephone No. +49 89 2399 2564



 Basis of the op 	inion
-------------------------------------	-------

1.	This opinion has been drawn on the basis of (substitute sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this opinion as "originally filed".):		
	Des	cription, pages:	
	1-39	•	as originally filed
	Clai	ms, No.:	
	1-37	•	as originally filed
	Dra	wings, sheets:	
	1/15	5-15/15	as originally filed
2.	The	amendments have	e resulted in the cancellation of:
		the description,	pages:
		the claims,	Nos.:
		the drawings,	sheets:
3.	This con	s opinion has been sidered to go beyo	established as if (some of) the amendments had not been made, since they have been nd the disclosure as filed (Rule 70.2(c)):
4.	Add	ditional observation	s, if necessary:
111	l No	n-establishment o	of opinion with regard to novelty, inventive step and industrial applicability
Т	he aı	uestions whether th	ne claimed invention appears to be novel, to involve an inventive step (to be non-obvious), cable have not been and will not be examined in respect of:
		the entire internat	tional application,
	×	claims Nos. 1-23	, 30-32 and 34-37 with respect to industrial applicability,

because:

 ★ The said international application, or the said claims Nos. as above relate to the following subject matter which does not require an international preliminary examination (specify):

		see separate sheet		
		the description, claims or that no meaningful opinion		(indicate particular elements below) or said claims Nos. are so unclear e formed (specify):
		the claims, or said claims could be formed.	Nos. are	so inadequately supported by the description that no meaningful opinion
		no international search re	port has l	been established for the said claims Nos
				•
				a ven an la
V.	Rea app	ssoned statement under l dicability; citations and e	Rule 66.2 xplanatio	(a)(ii) with regard to novelty, inventive step or industrial ons supporting such statement
1.	Sta	tement		
	Nov	velty (N)	Claims	1-28, 30-35 NO
	Inve	entive step (IS)	Claims	1-37 NO
	Ind	ustrial applicability (IA)	Claims	
2.	Cita	ations and explanations		
	see	e separate sheet		

VI. Certain documents cited

- 1. Certain published documents (Rule 70.10)
 - and / or

1

2. Non-written disclosures (Rule 70.9)

see separate sheet

Reference is made to the following documents cited in the International search report:

- D1: HIRST T R ET AL: 'Cholera toxin and related enterotoxins as potent immune modulators.' SOCIETY FOR APPLIED BACTERIOLOGY SYMPOSIUM SERIES, (1998) 27 26S-34S.
- D2: EP-A-0 372 928
- D3: US-A-5 241 053
- D4: ZHANG T ET AL: 'Oral immunization with the dodecapeptide repeat of the serine-rich entamoeba histolytica protein (SREHP) fused to the cholera toxin B subunit induces a mucosal and systemic anti-SREHP antibody response' IMMUNITY, US, AMERICAN SOCIETY FOR AND INFECTION MICROBIOLOGY. WASHINGTON, vol. 63, no. 4, page 1349-1355.
- D5: WILLIAMS N A ET AL: 'Immune modulation by the cholera-like enterotoxins: from adjuvant to therapeutic.' IMMUNOLOGY TODAY, (1999 FEB) 20 (2) 95-101.
- D6: NASHAR T O ET AL: 'Importance of receptor binding in the immunogenicity, adjuvanticity and therapeutic properties of cholera toxin and Escherichia coli heat-labile enterotoxin.' MEDICAL MICROBIOLOGY AND IMMUNOLOGY, (1998 JUN) 187 (1) 3-10.
- D7: RICHARDS C M ET AL: 'Induction of mucosal immunity against herpes simplex virus type 1 in the mouse protects against ocular infection and establishment of latency.' JOURNAL OF INFECTIOUS DISEASES, (1998 JUN) 177 (6) 1451-7.
- D8: EP-A-0 919 243
- D9: WO-A-99/36088

Section III:

Claims 1 to 23, 30 to 32 and 34 to 37 relate to subject-matter considered by this Authority to be covered by the provisions of Rule 67.1(iv) PCT. Consequently no opinion will be formulated with respect to the industrial applicability of the subjectmatter of these claims (Article 34(4)(a)(i) PCT).

Section V:

- 1. The subject-matter of claims 1 to 28 and 30 to 35 does not comply with the requirements of Article 33(2) and (3) PCT.
- 1.1. D1 discloses the immunomodulatory effects of CtxB and EtxB. D1 discloses the mucosal response obtained with administration of said toxins (see p.28S). The use of said toxins as immune modulators in vaccines is disclosed both as recombinant fusion proteins and as chemical conjugates with antigens (see p. 30S, point 4). Also disclosed is a vaccine comprising glycoproteins from HSV administered with CtxB or EtxB (see p. 30S, left hand column, last paragraph). Thus, D1 discloses the subject-matter of claims 1 to 3, 24, 26 to 28 and 30 to 35 (Article 33(2) PCT).
- 1.2. D2 discloses EtxB fusion proteins comprising an antigen from a pathogen (see p.2, lines 16 to 54). The fusion proteins can be used as vaccines. Thus, the subject-matter of claims 1 to 26, 30 and 32 does not comply with the requirements of Article 33(2) PCT.
- 1.3. D3 discloses fusion proteins comprising EtxB and another protein. D3 specifically discloses such a fusion protein comprising antigen from several infectious agents (see abstract, column 1, first paragraph and column 2, lines 20 to 39). Thus, the subject-matter of claims 1 to 7, 9 to 11, 16, 17, 22 to 26, 30 and 32 is disclosed (Article 33(2) PCT).
- 1.4. D4 discloses a fusion protein comprising CtxB and antigen from *Entamoeba histolytica* and its use in a vaccine for prevention of infection with said parasite (see abstract, p.1349 and p. 1354, left hand column). Thus, the subject-matter of claims 1, 18, 22, 24 and 27 to 32 is disclosed (Article 33(2) PCT).
- 2. None of the cited documents specifically discloses a kit. However, the subject-matter of claim 29 does not seem to involve an inventive step (Article 33(3) PCT) in view of any of D1 to D4 because it is obvious to provide a kit with the known components for use in the known method.
 - The subject-matter of claims 36 and 37 concerns a vaccine against EBV and the use

WRITTEN OPINION SEPARATE SHEET

of a vaccine for treatment of an EBV disease, respectively. Since such vaccines and uses are already known for herpes virus (see D1 to D3) the provision of a vaccine and use specific for EBV does not seem to involve an inventive step. Therefore, the subject-matter of claims 36 and 37 does not comply with the requirements of Article 33(3) PCT.

- 3. Documents D5 to D7, cited in the International search report as an intermediate documents, may be detrimental to the novelty and inventiveness of the subject-matter of the present claims if the priority date of 8 May 1998 is not validly claimed.
- 4. The subject-matter of claims 24 to 29 and 33 appears to be industrially applicable. For the assessment of the present claims 1 to 23, 30 to 32 and 34 to 37 on the question whether they are industrially applicable, no unified criteria exist in the PCT Contracting States. The patentability can also be dependent upon the formulation of the claims. The EPO, for example, does not recognize as industrially applicable the subject-matter of claims to the use of a compound in medical treatment, but may allow, however, claims to a known compound for first use in medical treatment and the use of such a compound for the manufacture of a medicament for a new medical treatment.

Section VI:

- Documents D8 and D9 are patent documents cited in the International search report.
 D8 was published on 2 June 1999 and filed on 25 November 1997. D9 was published on 22 July 1999, filed on 15 January 1999 and claims a priority date of 16 January 1998.
 - Should the present application be entered into the regional phase, the above documents could be relevant to the question of novelty.

CHAPTER II

DEMAND

under Article 31 of the Patent Cooperation Treaty:

The undersigned requests that the international application specified below be the subject of international preliminary examination according to the Patent Cooperation Treaty and hereby elects all cligible States (except where otherwise indicated).

Fo	r International Preliminary	Examining Authority	use only	of Soft a stability is
lentification of IPEA	The Contract Science of	Date of receipt of Di		
ox No. I IDENTIFICATION OF T	HE INTERNATIONAL	APPLICATION	Applicant's or agent'	
sternational application No.	International filing date	(day/month/year)	(Earliest) Priority dat	
PCT/GB99/01461	10 May 1999	(10.05.99)	8 May 1998	(08.05.98)
itle of invention VACCINE				
ox No. II APPLICANT(S)				
lame and address: (Furth same follows) by The colorest said to be a		fell official designation.	Telephone No.:	
Jniversity of Bristo Senate House Tyndall Avenue			Facsimile No.:	
Clifton Bristol BS8 1TH United Kingdom	BEST AVAIL	ABLE	Teleprinter No.:	
State (that is, country) of nationality:		State (that is, G	of residence:	
GB		GB		
Name and address: (Family name followed b	y given name; for a legal entity, f	ull official designation. The	address must include postal	code and name of country.)
HIRST, Timothy Raymo	•	·		
Clevedon North Somerset				
BS21 7RR				•
United Kingdom		T		
State (that is, country) of nationality: GB		State (that is, coun		
Name and address: (Family name followed	ha ainm namer for a local outills.	full afficial designation. Th	e address must include poste	il code and name of country.)
WILLIAMS, Neil Andre 16 Old Coach Road				
Cross Axbridge				
Somerset BS26 2EF United Kingdom				
State (that is, country) of nationality:		State (that is, coun	try) of residence: GB	
Further applicants are indicated	on a continuation sheet.			·
			<u> </u>	e Notes to the demand j

Form PCT/IPEA/401 (first sheet) (July 1998; reprint July 1999)

Sheet N 2...

International application No. PCT/GB99/01461

AGENT OR COMMON REPRESENTATIVE; OR ADDRESS FOR CO	RRESPONDENCE	
Howing person is agent X common representative		
has been appointed earlier and represents the applicant(s) also for international pre-	liminary examination.	
is hereby appointed and any earlier appointment of (an) agent(s)/common represer	stative is hereby revoked.	
is hereby appointed, specifically for the procedure before the International Prelimi		
the agent(s)/common representative appointed earlier.		
Name and address: (Family name followed by given name; for a legal entity, full official designation. The address must include postal code and name of country.)	Telephone No.:	
The address must include postal code and name of country.)	0207 420 0500	
NASH, David Allan	Facsimile No.:	
HASELTINE LAKE & CO. Imperial House	A GLAMMING INC.,	
15-19 Kingsway	0207 420 0505	
London WC2B 6UD.	Teleprinter No.:	
United Kingdom		
Address for correspondence: Mark this check-box where no agent or common respect above is used instead to indicate a special address to which correspondence	ppresentative is/has been appointed and the should be sent.	
Box No. IV BASIS FOR INTERNATIONAL PRELIMINARY EXAMINATION		
Statement concerning amendments:		
1. The applicant wishes the international preliminary examination to start on the basis of:		
the international application as originally filed		
the description x as originally filed		
as amended under Article 34		
the claims V as originally filed		
the claims as originally filed as amended under Article 19 (together with any accompanying	statement)	
as amended under Article 34		
as auromon unuer Anne 54		
the drawings x as originally filed	•	
as amended under Article 34	۵	
2. The applicant wishes any amendment to the claims under Article 19 to be consider	red as reversed.	
3. The applicant wishes the start of the international preliminary examination to be postponed until the expiration of 20 months		
from the priority date unless the International Preliminary Examining Authority	receives a copy of any amendments made	
under Article 19 or a notice from the applicant that he does not wish to make such box may be marked only where the time limit under Article 19 has not yet expired		
* Where no check-box is marked international preliminary examination will start on	the basis of the international application	
as originally filed or, where a copy of amendments to the claims under Article 19 and/or a under Article 34 are received by the International Preliminary Examining Authority before or the international preliminary examination report, as so amended.	mendments of the international application	
Language for the purposes of international preliminary examination English		
x which is the language in which the international application was filed.	•	
which is the language of a translation furnished for the purposes of international search.		
which is the language of publication of the international application.		
which is the language of the translation (to be) furnished for the purposes of	international preliminary examination.	
Box No. V ELECTION OF STATES		
The applicant hereby elects all eligible States (that is, all States which have been designated	ted and which are bound by Chapter II of	
the PCT)		
excluding the following States which the applicant wishes not to elect:		

Sheet No. 3.

ternational	appl	ication	No.
PCT/GB	99	/01	461

CHECKLIST	
demand is accompanied by the following elements, in the language referred to in	For International Preliminary Examining Authority use only
No. IV, for the purposes of international preliminary examination:	received not received
translation of international application : sheets	
2. amendments under Article 34 shorts	
3. copy (or, where required, translation) of amendments under Article 19 sheets	
4. copy (or, where required, translation) of	· · · · · · · · · · · · · · · · · · ·
statement under Article 19 : sheets	
5. letter 1 sheets	
6. other (specify) Form 1037 : 2 sheets	
o. can (4-2) FOIM 1037	
The demand is also accompanied by the item(s) marked below:	
1. fee calculation sheet 4. statement	explaining lack of signature
	e and or amino acid sequence listing in readable form
3. copy of general power of attorney,	
reference number, if any:	~- <u>4</u>
Box No. VII SIGNATURE OF APPLICANT, AGENT OR COMMON REPRES	
Box No. VII SIGNATURE OF APPLICANT, AGENT OR COMMON REPRES	
Box No. VII SIGNATURE OF APPLICANT, AGENT OR COMMON REPRES	
BOX No. VII SIGNATURE OF APPLICANT, AGENT OR COMMON REPRESS Next to each signature, indicate the name of the person signing and the capacity in which the person signs (if s	such capacity is not obvious from reading the demand)
Box No. VII SIGNATURE OF APPLICANT, AGENT OR COMMON REPRESING to each signature, indicate the name of the person signing and the capacity in which the person signs (if a NASH, David Allan	such capacity is not obvious from reading the demand)
BOX No. VII SIGNATURE OF APPLICANT, AGENT OR COMMON REPRESS Next to each signature, indicate the name of the person signing and the capacity in which the person signs (if s	such capacity is not obvious from reading the demand)
Box No. VII SIGNATURE OF APPLICANT, AGENT OR COMMON REPRESING to each signature, indicate the name of the person signing and the capacity in which the person signs (if a NASH, David Allan Authorised Representative.	such capacity is not obvious from reading the demand)
Box No. VII SIGNATURE OF APPLICANT, AGENT OR COMMON REPRESING to each signature, indicate the name of the person signing and the capacity in which the person signs (if a NASH, David Allan Authorised Representative. For International Preliminary Examining Authority	such capacity is not obvious from reading the demand)
Box No. VII SIGNATURE OF APPLICANT, AGENT OR COMMON REPRESIONS to each signature, indicate the name of the person signing and the capacity in which the person signs (if a NASH, David Allan Authorised Representative. — For International Preliminary Examining Authority 1. Date of actual receipt of DEMAND: 2. Adjusted date of receipt of demand due	such capacity is not obvious from reading the demand)
Next to each signature, indicate the name of the person signing and the capacity in which the person signs (if a NASH, David Allan Authorised Representative. For International Preliminary Examining Authority 1. Date of actual receipt of DEMAND: 2. Adjusted date of receipt of demand due to CORRECTIONS under Rule 60.1(b): The date of receipt of the demand is AFTER the expiration of 19 months	y use only The applicant has been informed accordingly.
Next to each signature, indicate the name of the person signing and the capacity in which the person signs (if a NASH, David Allan Authorised Representative. For International Preliminary Examining Authority 1. Date of actual receipt of DEMAND: 2. Adjusted date of receipt of demand due to CORRECTIONS under Rule 60.1(b): 3. The date of receipt of the demand is AFTER the expiration of 19 months from the priority date and item 4 or 5, below, does not apply. The date of receipt of the demand is WITHIN the period of 19 months from the priority date and item 4 or 5, below, does not apply.	y use only The applicant has been informed accordingly.
NASH, David Allan Authorised Representative. For International Preliminary Examining Authority 1. Date of actual receipt of DEMAND: 2. Adjusted date of receipt of demand due to CORRECTIONS under Rule 60.1(b): 3. The date of receipt of the demand is AFTER the expiration of 19 months from the priority date and item 4 or 5, below, does not apply. Although the date of receipt of the demand is WITHIN the period of 19 months in Rule 80.5.	y use only The applicant has been informed accordingly.

From the INTERNATIONAL SEARCHING AUTHORITY	D.O.T.		
То:	PCT		
HASELTINE LAKE & CO.	MOTIFICATION		
Imperial House	NOTIFICATION OF TRANSMITTAL OF THE INTERNATIONAL SEARCH REPORT		
15-19 Kingsway	OR THE DECLARATION		
London WC2B 6UD	STITTLE DECEARATION		
UNITED KINGDOM	(PCT Rule 44.1)		
	•		
·	Date of mailing (day/month/year) 15/12/1999 FOR FURTHER ACTION See paragraph and 4 below		
	Date of mailing (day/month/year) 15/12/10/10		
Applicant's or agent's file reference	15/12/1999 nec 15		
HL58501/002/LCH	170 150		
	FOR FURTHER ACTION See paragraph and 4 below		
International application No.	International filing date		
PCT/GB 99/01461	(day/month/year) 10/05/1999		
Applicant			
UNIVERSITY OF BRISTOL.et.al			
SWITCHSITT OF BRISTOL.et.al			
1. X The applicant is hereby notified that the International Search	Report has been established and is transmitted because		
Filing of amendments and statement under Article 19:			
The applicant is entitled, if he so wishes, to amend the claims	s of the International Application (see Rule 46):		
When? The time limit for filing such amendments is normall International Search Report; however, for more details	ly 2 months from the date of transmittal of the		
, and the more dela	ails, see the notes on the accompanying sheet.		
Where? Directly to the International Bureau of WIPO			
34. chemin des Colombettes 1211 Geneva 20. Switzerland			
Fascimile No.: (41-22) 740.14.35			
For more detailed instructions, see the notes on the accom	panying sheet		
The applicant is hereby notified that no International Search Report will be established and that the declaration under Article 17(2)(a) to that effect is transmitted herewith.			
3. With regard to the protest against payment of (an) addition			
against payment of (an) additional fee(s) under Rule 40.2, the applicant is notified that			
the protest together with the decision thereon has been to applicant's request to forward the texts of both the protest	transmitted to the International Bureau together with the		
J. S.	and the decision thereon to the designated Offices.		
no decision has been made yet on the protest: the applic	2nt will be notified to		
no decision has been made yet on the protest; the applicant will be notified as soon as a decision is made.			
4. Further action(s): The applicant is reminded of the following:			
Shortly after 18 months from the priority date, the international application will be published by the International Bureau.			
priority claim, must reach the International Duran	while awai of the international application, or of the		
completion of the technical preparations for international publication	n.		
Within 19 months from the priority date, a demand for international p wishes to postpone the entry into the national phase until 30 month	Oreliminary examination must be first in a		
1	" " " " " " DITORITY GALE (III SOME LIMICAE GUAS LASS)		
I VIIIII ZU MONINS from the priority data at a control	· · · · · · · · · · · · · · · · · · ·		
before all designated Offices which have not been elected in the demand or in a later election within 19 months from the priority date or could not be elected because they are not bound by Chapter II.			
	orapid ii.		
Name and mailing address of the International Searching Authority Authority	uthorized officer		
NL-2280 HV Rijswijk			
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Barbara Klaver		

*ATENT COOPERATION TREATY

PCT	From the INTERNATIONAL BUREAU
PCT	To:
NOTIFICATION OF THE RECORDING OF A CHANGE (PCT Rule 92bis.1 and Administrative Instructions, Section 422)	HARDING, Charles, Thomas D Young & Co. Briton House Briton Street Southampton SO14 3 EB ROYAUME-UNI
Date of mailing (day/month/year) 14 November 2000 (14.11.00)	
Applicant's or agent's file reference P009274WO CTH HLB	IMPORTANT NOTIFICATION
International application No. PCT/GB99/01461	International filing date (day/month/year) 10 May 1999 (10.05.99)
The following indications appeared on record concerning: the applicant the inventor	
Name and Address NASH, David, Allan Haseltine Lake & Co. Imperial House 15-19 Kingsway London WC2B 6UD United Kingdom	Telephone No. 44 171 405 6093 Facsimile No. 44 171 405 0965 Teleprinter No.
2. The International Bureau hereby notifies the applicant that the XX the person the name the add	
Name and Address HARDING, Charles, Thomas D Young & Co. Briton House Briton Street Southampton SO14 3 EB United Kingdom	Telephone No. 44 23 8071 9500 Facsimile No. 44 23 8071 9800 Teleprinter No.
3. Further observations, if necessary:	
4. A copy of this notification has been sent to: X the receiving Office the International Searching Authority X the International Preliminary Examining Authority	the designated Offices concerned X the elected Offices concerned other:
The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorized officer R. Chrem Telephone No.: (41-22) 338.83.38

PATENT COOPERATION TREATY

	From the INTERNATIONAL BUREAU		
PCT	То:		
NOTIFICATION OF THE RECORDING OF A CHANGE (PCT Rule 92bis.1 and Administrative Instructions, Section 422) Date of mailing (day/month/year)	HARDING, Charles, Thomas D Young & Co. Briton House Briton Street Southampton SO14 3 EB ROYAUME-UNI		
14 November 2000 (14.11.00)			
Applicant's or agent's file reference P009274WO CTH HLB	IMPORTANT NOTIFICATION		
International application No.	International filing date (day/month/year)		
PCT/GB99/01461	10 May 1999 (10.05.99)		
The following indications appeared on record concerning: the applicant	the agent the common representative		
Name and Address	State of Nationality State of Residence		
	Telephone No. Facsimile No. Teleprinter No.		
2. The International Bureau hereby notifies the applicant that th	e following change has been recorded concerning:		
X the person the name the add			
Name and Address MORGAN, Andrew WILSON, Andrew, Douglas BIRD, Lucy, Amber	State of Nationality State of Residence GB GB Telephone No.		
	Facsimile No.		
	Teleprinter No.		
3. Further observations, if necessary: The persons appearing in Box 2 above have been recorded as additional inventors applicants for the US only.			
4. A copy of this notification has been sent to:			
X the receiving Office	the designated Offices concerned		
the International Searching Authority	X the elected Offices concerned		
X the International Preliminary Examining Authority	other:		
The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorized officer R. Chrem Telephone No.: (41-22) 338.83.38		

ATENT COOPERATION TREATY

	From the INTERNATIONAL BUREAU
PCT	То:
NOTIFICATION OF ELECTION (PCT Rule 61.2)	Assistant Commissioner for Patents United States Patent and Trademark Office Box PCT Washington, D.C.20231 ÉTATS-UNIS D'AMÉRIQUE
Date of mailing (day/month/year) 10 December 1999 (10.12.99)	in its capacity as elected Office
International application No. PCT/GB99/01461	Applicant's or agent's file reference ML58501/002/LCH
International filing date (day/month/year) 10 May 1999 (10.05.99)	Priority date (day/month/year) 08 May 1998 (08.05.98)
Applicant HIRST, Timothy, Raymond et al	
in a notice effecting later election filed with the Inte	ry Examining Authority on: r 1999 (08.11.99)
The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorized officer Olivia RANAIVOJAONA
	Telephone No.: (41-22) 338.83.38

Form PCT/IB/331 (July 1992)

Facsimile No.: (41-22) 740.14.35

Box No. I

·99 13:U4 FAA VAA.		•
	For receiving	Office use only
PCT	International Application No.	
REQUEST	International Filing Date	
The undersigned requests that the present international application be processed international application Treaty.	Name of receiving Office and "I	PCT International Application"
international application be processing international application be processing to the Patent Cooperation Treaty.	Applicant's or agent's file reference of desired (12 characters maximum	m) HL58501 002/LCH
nox No. I TITLE OF INVENTION		
VACCINE		Company of the American Company of the Company of t
BOY NO. II APPLICANT	Free local entity, full official	This person is also inventor.
Name and address: (Family name followed by given name; designation. The address must include postal code and name address indicated in this Box is the applicant's State (that is, of residence is indicated below.) University of Bristol	of country. The country of the country) of residence if no State Tel	ephone No.
Senate House Tyndall Avenue Clifton Bristol BS8 1TH	AILABLE COPY TO	Hapriater No.
United Kingdom State (that is, country) of nationality:	State (that is, country) of t	4. Some indicated in
	Il designated States except the United States of America of A	Inited States the States truth and the Supplemental Box
This person is applicant all designated X of the purposes of States	to United States of America	
for the purposes of: Box No. III FURTHER APPLICANT(S) AND/O	R (FURTHER) INVESTIGATION AND OFFICIAL	
Name and address: (Family name followed by given har designation. The address must include postal code and mandress indicated in this Box is the applicant's State (that address indicated is indicated below.)	ne: for a legal enury, the country of the ame of country. The country of the is, country, of residence if no State is, country, of residence if no State	This person is: applicant only applicant and inventor
THE TIMOTHY AND THE		and of this check-box
30 Albert Road Clevedon	•	inventor only in in below.) is marked, do not fill in below.)
North Somerset BS21 7RR	·	
resited Kingdom	State (that is, country) o	
State (that is, country) of nationality:	GB	Visited States the States indicated in
GB This person is applicant all designated States	all designated States of America	America only Lithe Supplemental
for the purposes of:	are indicated on a continuation sneet.	PERONDENCE
Further applicants and COLONON REPRES	SENTATIVE; OR ADDRESS FOR	COKKESKOMPLATOR
15 of below is hereby/has been app	pointed to act on believe	
The person identified below is hereby/has been appoint of the applicant(s) before the competent internation of the applicant(s) before the competent internation. Name and address: (Family name followed by given designation. The address must be address must be address.)	n name; for a legal entity, full official include postal code and name of country.	Telephore No. +44 171 405 6093
designation. The agoress mass.	•	Facsimile No.
NASH, David Allan HASEITINE LAKE & CO.		+44 171 405 0965
Imperial House		Teleprinter No.
15-19 Kingsway		

Linited Kingdom

Address for correspondence: Mark this cheek-box where no agent or common representative is/has been appointed and the space above is used instead to indicate a special address to which correspondence should be sent.

See Notes to the request Form PCT/RO/101 (first sheet) (July 1998; reprint January 1999)

See Notes to the request fo.

		Sheet No			
F Roy No.	m FURT RAP	PLICANT(S) AND	OR (FURTHER	INVE R(S)	
	Market St. Co., Apr. Telephone St.	The second divided	rest Crittiii Nill Ul	THOUGHT ME WAS ALL	uest
	name followed by give ust include postal code a r is the applicant's State elow.	n name: for a lega	l entity, full officia		
the and address in this House	ust include postal code a s is the applicant's State	and name of country) of	residence if no Stat	e This person	1
residence is Indicated b	elow.)			applica	nt only
WILLIAMS, Ne 16 Old Coach	TT Dite.	٠.		· 1	nt and inventor
Cross	e a la l	• • •	1	٠ - ستا	or only (If this check-hox
Axbridge Somerset	BS26 2EF			is mark	ed. do not fill in below.)
United Kingo				.n	
rate (that is country) of	nationality:	84 13860 88	State (that is, count	ry) of residence:	
Sate (dat at cours),				of the United States	the States indicated in
his person is applicant or the purposes of:	all designated States	all designated States		of America only	the Supplemental Box
Jame and address: (Fami esignation. The address ddfess indicated in this Bi i residence is indicated	ly name followed by giv	en name; for a leg	al entity, full office the country of t	al he This person	is:
esignation. The address indicated in this B	must include postal coast below)	le (that is, country) b	residence u no sa	apolic	ant only
I Lezidence 12 miorrace			e green de la company	。 1997 (4) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4)	
				applic	ant and inventor
	BEST AVAIL	LABLE CO	PY	invent	or only (If this check-box ked, do not fill in below.)
		i Siriyat Kirin 2006 isti		E inei	
			Same Shat is soul	ntry) of residence:	15 - 58 87 58 ARMS 3.
tate (that is country) of	nationality:		21ste fusi iz con	JIL 77 O. 10320311031	
This person is applicant	all designated	all designated State	States except	the United States of America only	the States indicated in the Supplemental Box
Name and address: (Fan designation, The address address indicated in this of residence is indicated	ally name followed by gimust include postal code 30x is the applicant's Stabelow.)	iven name: for a le g and name of counti ate (that is, country)	gal entity, full diffi y. The country of of residence if no S	appl	icant only
•				inve	intor only (If this check-box arked, do not fill in below.)
	: ·	·	State (that is, co	untry) of residence:	
State (that is, country)	or nanomanty.				the States indicated in
This person is applicant for the purposes of	States	the United St	States except ares of America	the United States of America only	the Supplemental Box
Name and address: (Fa	unily name followed by	given name; for a	legal entity, full of	ficial if the State This pers	en is:
designation. The address indicated in this	unily name followed by as must include postal co Box is the applicant's and below.)	State (that is, country)	of residence if no	Scare	licant only
Of Legidelice is indicate	H DETAMA				·
	• ·			abī	licant and inventor
••			•	in	ventor only (If this check-box
			•	is	marked, do not fill in below.)
State (that is, country)	of nationality:		State (that is, o	ountry) of residence:	
This person is application the purposes of:	ant all designant	all designate the United	ed States except States of America	the United State of America on	the States indicated the Supplemental B
	ants and/or (further) inv	rentors are indicated	on another contin	uation sheet.	
Further applies		1009: modifi lanu			See Notes to the request

Sheet No. ...3...

designations are hereby made under Rule 4.9(a) (mark the applicable check-boxes: at least one must be marked): DESIGNATION OF STATES ARIPO Patent: GH Ghana, GM Gambia, KE Kenya, LS Lesotho, MW Malawi, SD Sudan, SZ Swaziland, UG Uganda, ZW Zimbabwe, and any other State which is a Contracting State of the Harare Protocol and of the PCT Eurasian Patent: AM Armenia, AZ Azerbaijan, BY Belarus, KG Kyrgyzstan, KZ Kazakhstan, MD Republic of Moldova, RU Russian Federation, TJ Tajikistan, TM Turkmenistan, and any other State which is a Contracting State of the Eurasian Patent Convention and of the PCT European Patent: AT Austria, BE Belgium, CH and LI Switzerland and Liechtenstein, CY Cyprus, DE Germany, DK Denmark, ES Spain, FI Finland, FR France, GB United Kingdom, GR Greece, IE Ireland, IT Italy, LU Luxembourg, MC Monaco, NL Netherlands, PT Portugal, SE Sweden, and any other State which is a Contracting State of the European OAPI Patent: BF Burkina Faso, BJ Bonia, CF Contral African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, OAPI Patent: BF Burkina Faso, BJ Bonia, CF Contral African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, OAPI Patent: BF Burkina Faso, BJ Bonia, CF Contral African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, OAPI Patent: BF Burkina Faso, BJ Bonia, CF Contral African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, OAPI Patent: BF Burkina Faso, BJ Bonia, CF Contral African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, OAPI Patent: BF Burkina Faso, BJ Bonia, CF Contral African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, OAPI Patent: BF Burkina Faso, BJ Bonia, CF Contral African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, OAPI Patent: BF Burkina Faso, BJ Bonia, CF Contral African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, OAPI Patent: BF Burkina Faso, BJ Bonia, CF Contral African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, OAPI Patent: BF Burkina Faso, BJ Bonia, CF Contral African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, OAPI Patent: BF Burkina Faso, BJ Bonia, CF Contral African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, OAPI Patent: BF Burkina Faso, BJ Bonia, CF Contral African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, OAPI Patent: BF Burkina Faso, BJ Bonia, CF Contral African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, OAPI Patent: BF Burkina Faso, BJ Bonia, CF Contral African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, OAPI Patent: BF Burkina Faso, BJ Bonia, CF Contral African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, OAPI Patent: BF Burkina Faso, BJ Bonia, CF Contral African Republic, CG Congo, CI Côte d'Ivoire, CM Cameroon, OAPI Patent: BF Burkina Faso, CF Congo, CI Côte d'Ivoire, CM Cameroon, OAPI Patent: BF Burkina Faso, CF Congo, CF Co desired, specify on dotted line) National Patent (if other kind of protection or treatment desired, specify on dotted line): LS Lesotho LT Lithuania অ AM Armenia Luxembourg 四 B AT Austria AU Australia \mathbf{Z} MD Republic of Moldova 凶 X AZ Azerbaijan MG Madagascar MK The former Yugoslav Republic of Macedonia ... BA Bosnia and Herzegovina \boxtimes rangan di sanggan di sanggan di Barbados MN Mongolia MW Malawi \mathbf{x} BB Bulgaria X Brezil X BR Belarus 凶 MX Mexico BY Ø CA Canada X Norway NO 図 CH and LI Switzerland and Liechtenstein New Zealand M X China Poland X CN PY. CU Cuba Portugal 図 Czech Republic X Romania Russian Federation DE 図 DK Denmark..... X Sudan Estonia SD 図 Sweden Spain 図 SE 図 ES Singapore 团 SG Slovenia FI 図 团 SI Slovakia United Kingdom 团 GB 2 SK BEST AVAIL GD Grenada 図 Sierra Leone ST. Georgia 図 GE Tankistan Turkmenistan X GH M TM Turkey GM Gambia 図 TR M Trinidad and Tobago Croatia HR \mathbf{x} X Ulcraine Hungary HU 図 X UA Uganda Indonesia 図 ID 网 翔 TN Uzbekistan IS Iceland \mathbf{Z} Japan Viet Nam JP 図 Kenya.... 図 Yugoslavia KE 図 X YU KG Kyrgyzstan ZW Zimbabwe Democratic People's Republic of Korea Check-boxes reserved for designating States (for the purposes of a national patent) which have become party to the PCT after issuance of this sheet: KR Republic of Korea KZ Kazakhstan AE United Arab Emirates 図 ZA South Africa Saint Lucia LC 図 LK Sri Lanka P3

Precautionary Designati a Statement: In addition to the designations made above, the applicant also makes under Rule 4.9(b) all other designations which would be permitted under the PCT except any designation(s) indicated in the Supplemental Box as being excluded from the scope of this statement. The applicant declares that those additional designations are subject to confirmation and that any designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant designation which is not confirmed before the expiration of 15 months from the priority date is to be regarded as withdrawn by the applicant at the expiration of that time limit (Confirmation of a designation consists of the filling of a notice specifying that designation and the payment of the designation and confirmation fees. Confirmation must reach the receiving Office within the 15-month time limit.) See Notes to the request form

See Notes to the request form

15/11 '00 16:18 FAX 41 22 740 14 PCT EXAM SECTION 1 PATENT COOPERATION TREATY

	PAG	F 63/	03
	@ 1003	/003	
09/7	0 1 8	85(() #ح
BUBEALL			

•	From the IN	ITERNATIONAL BUI	REAU
PCT	To:		
NOTIFICATION OF THE RECORDING OF A CHANGE (PCT Rule 92bis.1 and Administrative Instructions, Section 422)	D Young Briton H Briton S Southar	buse	·
Date of mailing (day/month/year) 14 November 2000 (14.11.00)			
Applicant's or agent's file reference P009274WO CTH HLB		IMPORTANT NOTI	
International application No. PCT/GB99/01461	International 10 May	filing date (day/month/ye y 1999 (10.05.99)	190.1
t. The following indications appeared on record concerning: the applicant the inventor	the agent		on representative
Name and Address	9	state of Nationality	Otto St. Issue
	.	Telephone No.	
		Facsimile No.	
		Teleprimer No.	
The International Eureau hereby notifies the applicant that X the person the name the ac-	the following c	hange has been recorded the nationality	the residence
Name and Address		State of Nationality GB	State of Residence GB
MORGAN, Andrew WILSON, Andrew, Douglas BIRD, Lucy, Amber	-	Telephone No.	
	-	Facsimile No.	
		Teleprinter No.	
3. Further observations, if necessary: The persons appearing in Box 2 above have be for the US only.	een recorde	d as additional inver	ntors applicants
4. A copy of this notification has been sent to:			
X the receiving Office		the designated Offices the elected Offices	
the International Searching Authority X the International Preliminary Examining Authority	[other:	
The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorized	officer R. Chrem	(V
Facsimile No.: (41-22) 740.14.35	Telephone	No.: (41-22) 338.83.38	003657724

Form PCT/IB/306 (Merch 1994)

DYOUNG

15/11 '00 16:18 FAX 41 22 740 14 PCT EXAM SECTION 1

PATENT COOPERATION TREATY

	From the INTERNATIONAL BUREAU
PCT	To:
NOTIFICATION OF THE RECORDING OF A CHANGE (PCT Rule 92bis.1 and Administrative Instructions, Section 422) Date of mailing (day/month/year)	HARDING, Charles, Thomas D Young & Co. Briton House Briton Street Southampton SO14 3 EB ROYAUME-UNI
14 November 2000 (14.11.00)	
Applicant's or agent's file reference P009274WO CTH HLB	IMPORTANT NOTIFICATION
International application No. PCT/GB99/01461	International filing date (day/month/year) 10 May 1999 (10.05.99)
7. The following indications appeared on record concerning: the applicant the inventor	X the agent the common representative
Name and Address NASH, David, Allan Haseltine Lake & Co. Imperial House 15-19 Kingsway London WC28 6UD United Kingdom	State of Nationality State of Residence Telephone No. 44 171 405 6093 Facsimite No. 44 171 405 0965 Teleprinter No.
The International Bureau hereby notifies the applicant that t X the person the name the ad-	
Name and Address HARDING, Charles, Thomas D Young & Co. Briton House Briton Street Southampton SO14 3 EB United Kingdom	State of Nationality State of Residence Telephone No. 44 23 8071 9500 Facsimile No. 44 23 8071 9800 Teleprinter No.
3. Further observations, if necessary:	,
4. A copy of this notification has been sent to:	
X the receiving Office the international Searching Authority the international Preliminary Examining Authority	the designated Offices concerned The elected Offices concerned other:
The International Burcau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland	Authorized officer R. Chrem
Facsimile No.: (41-22) 740.14.35	Telephone No.: (41-22) 338.83.38
Form PCT/IB/306 (March 1994)	003857746

M·H



INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference HL58501/002/LCH		ration of Transmittal of International Search Report 7/ISA/220) as well as, where applicable, item 5 below.					
International application No.	International filing date (day/month/ye	ar) (Earliest) Priority Date (day/month/year)					
PCT/GB 99/01461	10/05/1999	08/05/1998					
Applicant							
UNIVERSITY OF BRISTOL.et.	al						
This International Search Report has bee according to Article 18. A copy is being tra	n prepared by this International Searchir ansmitted to the International Bureau.	ng Authority and is transmitted to the applicant					
This International Search Report consists X It is also accompanied by	of a total of sheets a copy of each prior art document cited						
Basis of the report							
With regard to the language, the language in which it was filed, un	international search was carried out on ess otherwise indicated under this item.	the basis of the international application in the					
the international search w Authority (Rule 23.1(b)).	as carried out on the basis of a translati	on of the international application furnished to this					
b. With regard to any nucleotide an was carried out on the basis of the	d/or amino acid sequence disclosed in a sequence listing:	the international application, the international search					
	onal application in written form.						
	filed together with the international application in computer readable form.						
	this Authority in written form.						
	this Authority in computer readble form esequently furnished written sequence li	sting does not go beyond the disclosure in the					
· ·	s filed has been furnished.	form to interest to the continue of the contin					
furnished	яттапол тесогоев то сотпрител геабарте	form is identical to the written sequence listing has been					
2. X Certain claims were fou	nd unsearchable (See Box I).						
3. Unity of Invention is lac	king (see Box II).						
With regard to the title,		*					
the text is approved as su	bmitted by the applicant.						
X the text has been establis	hed by this Authority to read as follows:						
IMMUNOMODULATORS FOR N	/ACCINES						
5. With regard to the abstract,							
X the text is approved as su	bmitted by the applicant.						
the text has been establis	hed, according to Rule 38.2(b), by this A	authority as it appears in Box III. The applicant may, rich report, submit comments to this Authority.					
6. The figure of the drawings to be publ	ished with the abstract is Figure No.						
as suggested by the appli	cant.	X None of the figures.					
because the applicant fail	ed to suggest a figure.	-					
because this figure better	characterizes the invention.						



nternational application No.

PCT/GB 99/01461

B x I Observations where certain claims wer found unsearchabl (Continuation of item 1 of first sheet)
This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely: Remark: Although claims 1-23,30,31,34 and 35 are directed to a methodof treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.
Claims Nos.: because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This International Searching Authority found multiple inventions in this international application, as follows:
1. As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
Remark on Protest The additional search fees were accompanied by the applicant's protest.
No protest accompanied the payment of additional search fees.



A. CLASSIFICATION OF SUBJECT MATTER IPC 6 A61K39/12 A61K A61K38/16 A61K39/245 A61K39/385 According to International Patent Classification (IPC) or to both national classification and IPC **B. FIELDS SEARCHED** Minimum documentation searched (classification system followed by classification symbols) A61K C07K Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) C. DOCUMENTS CONSIDERED TO BE RELEVANT Category ° Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. Υ WO 97 02045 A (UNIVERSITY OF BRISTOL) 1-36 23 January 1997 (1997-01-23) cited in the application page 44 -page 46 Υ NASHAR T O ET AL: "Modulation of B-cell 1-36 activation by the B subunit of Escherichia coli enterotoxin: receptor interaction up-regulates MHC class II, B7, CD40, CD25 and ICAM-1." IMMUNOLOGY, (1997 AUG) 91 (4) 572-8., XP002123821 the whole document


X Further documents are listed in the continuation of box C.	χ Patent family members are listed in annex.
 Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filling date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed 	"T" later document published after the international filling date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. "&" document member of the same patent family
Date of the actual completion of the international search	Date of mailing of the international search report
25 November 1999	15/12/1999
Name and mailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31–70) 340–2040, Tx. 31 651 epo nl, Fax: (+31–70) 340–3016	Authorized officer Moreau, J

1



		PC1/GB 99/01461
	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	HIRST T R ET AL: "Cholera toxin and related enterotoxins as potent immune modulators." SOCIETY FOR APPLIED BACTERIOLOGY SYMPOSIUM SERIES, (1998) 27 26S-34S, XP000856429 the whole document	1-36
X	EP 0 372 928 A (UNIVERSITY OF LEICESTER) 13 June 1990 (1990-06-13) claims 1-14	1,24, 28-30
X	US 5 241 053 A (FUJISAWA Y. ET AL.) 31 August 1993 (1993-08-31) the whole document	1,24, 28-30
X	ZHANG T ET AL: "ORAL IMMUNIZATION WITH THE DODECAPEPTIDE REPEAT OF THE SERINE-RICH ENTAMOEBA HISTOLYTICA PROTEIN (SREHP) FUSED TO THE CHOLERA TOXIN B SUBUNIT INDUCES A MUCOSAL AND SYSTEMIC ANTI-SREHP ANTIBODY RESPONSE" INFECTION AND IMMUNITY, US, AMERICAN SOCIETY FOR MICROBIOLOGY. WASHINGTON, vol. 63, no. 4, page 1349-1355 XP000645273 ISSN: 0019-9567 the whole document	1,22,24, 26,28-30
Ρ,Χ	WILLIAMS N A ET AL: "Immune modulation by the cholera-like enterotoxins: from adjuvant to therapeutic." IMMUNOLOGY TODAY, (1999 FEB) 20 (2) 95-101, XP002123822 the whole document	1-36
Ρ,Χ	NASHAR T O ET AL: "Importance of receptor binding in the immunogenicity, adjuvanticity and therapeutic properties of cholera toxin and Escherichia coli heat-labile enterotoxin." MEDICAL MICROBIOLOGY AND IMMUNOLOGY, (1998 JUN) 187 (1) 3-10, XP000857029 the whole document	1-36
Ρ, χ	RICHARDS C M ET AL: "Induction of mucosal immunity against herpes simplex virus type 1 in the mouse protects against ocular infection and establishment of latency." JOURNAL OF INFECTIOUS DISEASES, (1998 JUN) 177 (6) 1451-7. , XP002123823 cited in the application the whole document	1-36
	-/	
•		

1



		PCT/GB 99	9/01401
C.(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.	
E	EP 0 919 243 A (DUPHAR INTERNATIONAL RESEARCH) 2 June 1999 (1999-06-02) the whole document	1-36	
E	WO 99 36088 A (MAXIM PHARMACEUTICALS) 22 July 1999 (1999-07-22) the whole document		1-36
Ī			
		•	
	·		
v			·
Ī			

1

ation on patent family members

rnational Application No FCT/GB 99/01461

Patent docume cited in search re		Publication date		Patent family member(s)	Publication date
WO 9702045	Α	23-01-1997	AU	6314296 A	05-02-1997
			CA	2225788 A	23-01-1997
			CN	1192693 A	09-09-1998
			CZ	9800012 A	17-06-1998
			EP	0841939 A	20-05-1998
			HU	9900147 A	28-05-1999
			JP	11508586 T	27-07-1999
			NO	980005 A	05-03-1998
			PL	324424 A	25-05-1998
EP 372928	Α	13-06-1990	AU	4754490 A	26-06-1990
			CA	2004738 A	07-06-1990
			WO	9006366 A	14-06-1990
			PT	92511 A	29 - 06-1990
US 5241053	Α	31-08-1993	NONE		
EP 919243	A	02-06-1999	AU	1875099 A	15-06-1999
			WO	9926654 A	03-06-1999
W0 9936088	A	22-07-1999	 AU	2232399 A	02-08-1999

From th INTERNATIONAL PRELIMINARY EXAMINING AUTHORITY

HASELTINE LAKE & CO. Imperial House 15-19 Kingsway London WC2B 6UD GRANDE BRETAGNE

NOTIFICATION OF TRANSMITTAL OF THE INTERNATIONAL PRELIMINARY **EXAMINATION REPORT**

(PCT Rule 71.1)

Date of mailing

(day/month/year)

10.07.2000

Applicant's or agent's file reference

HL58501/002/LCH

PCT/GB99/01461

International application No.

International filing date (day/month/year)

10/05/1999

Priority date (day/month/year)

IMPORTANT NOTIFICATION

08/05/1998

Applicant

UNIVERSITY OF BRISTOL.et.al

- 1. The applicant is hereby notified that this International Preliminary Examining Authority transmits herewith the international preliminary examination report and its annexes, if any, established on the international application.
- 2. A copy of the report and its annexes, if any, is being transmitted to the International Bureau for communication to all the elected Offices.
- 3. Where required by any of the elected Offices, the International Bureau will prepare an English translation of the report (but not of any annexes) and will transmit such translation to those Offices.

4. REMINDER

The applicant must enter the national phase before each elected Office by performing certain acts (filing translations and paying national fees) within 30 months from the priority date (or later in some Offices) (Article 39(1)) (see also the reminder sent by the International Bureau with Form PCT/IB/301).

Where a translation of the international application must be furnished to an elected Office, that translation must contain a translation of any annexes to the international preliminary examination report. It is the applicant's responsibility to prepare and furnish such translation directly to each elected Office concerned.

For further details on the applicable time limits and requirements of the elected Offices, see Volume II of the PCT Applicant's Guide.

Name and mailing address of the IPEA/

European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d Fax: +49 89 2399 - 4465

Authorized officer

Digiusto, M

Tel.+49 89 2399-8162



INTERNATIONAL PRELIMINARY EXAMINATION REPORT

REC'D 12 JUL 2000

WIPO

PO.

PCT

(PCT Article 36 and Rule 70)

Applicant's or	ager	t's file reference			ation of Transmittal of International
HL58501/0)02/i	_CH	FOR FURTHER ACT	CTION Preliminary Examination Report (Form PCT/IPEA/41	
International	applic	ation No.	International filing date (da	ny/month/year)	Priority date (day/month/year)
PCT/GB99	0/014	61	10/05/1999		08/05/1998
International A61K39/00		t Classification (IPC) or nat	tional classification and IPC		
Applicant					
	ITY (OF BRISTOL.et.al			
·					
1. This int	erna trans	tional preliminary exami mitted to the applicant a	ination report has been p according to Article 36.	repared by this Into	ernational Preliminary Examining Authority
2. This RI	EPO	RT consists of a total of	6 sheets, including this	cover sheet.	
be (se	en ai ee Ru	mended and are the bas	sis for this report and/or s 07 of the Administrative I	sheets containing re	on, claims and/or drawings which have ectifications made before this Authority he PCT).
_	_		ating to the following item	s:	
	⊠.	Basis of the report			
	II ☐ Priority III ☒ Non-establishment of opinion with regard to novelty, inventive step and industrial applicability				and industrial applicability
l III		Lack of unity of invention		only, miremare ear	, and mass
V		Reasoned statement u		gard to novelty, inv	ventive step or industrial applicability;
VI	\boxtimes	Certain documents cit	ed		
VII		Certain defects in the i	nternational application		
VIII		Certain observations o	n the international applic	ation	
Date of sub	missio	on of the demand		Date of completion of	of this report
08/11/199	99			10.07.2000	
	exam	g address of the internation ining authority:	al	Authorized officer	FOR THE PROPERTY OF THE PROPER
European Patent Office D-80298 Munich Tel. +49 89 2399 - 0 Tx: 523656 epmu d			56 epmu d	Luis Alves, D	

Telephone No. +49 89 2399 8695

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No. PCT/GB99/01461

	Bas	is of thereport					
١.	This report has been drawn on the basis of (substitute sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to the report since they do not contain amendments.):						
	Des	cription, pages:					
	1-39)	as originally filed				
	Clai	ms, No.:					
	1-37	,	as originally filed				
Drawings, sheets:							
	1/15	5-15/15	as originally filed				
2.	The	amendments have	e resulted in the cancellation of:				
		the description,	pages:				
		the claims,	Nos.:				
		the drawings,	sheets:				
3.		This report has be	een established as if (some of) the amendments had not been made, since they have been beyond the disclosure as filed (Rule 70.2(c)):				
4.	Add	litional observation	ns, if necessary:				
111	. No	n-establishment c	of opinion with regard to novelty, inventive step and industrial applicability				
TI or	ne qu to b	uestions whether the industrially applic	ne claimed invention appears to be novel, to involve an inventive step (to be non-obvious), cable have not been examined in respect of:				
		the entire internat	tional application.				
	\boxtimes	claims Nos. 1-23	, 30-32 and 34-37 with respect to industrial applicability.				

because:

	⊠	the said international application, or the said claims Nos. as above relate to the following subject matter which does not require an international preliminary examination (specify):							
	see separate sheet								
		the claims, or said claims Nos. are so inadequately supported by the description that no meaningful opinion could be formed.							
		no international search r	eport ha	as been e	established for the said claims Nos				
٧.	Rea app	leasoned statement under Article 35(2) with regard to novelty, inventive step or industrial pplicability; citations and explanations supporting such statement							
1.	Sta	Statement							
	Nov	velty (N)	Yes: No:		29, 36, 37 1-28, 30-35				
	Inve	entive step (IS)	Yes: No:	Claims Claims	1-37				
	ind	ustrial applicability (IA)	Yes: No:	O	24-29, 33				
2. Cita		ations and explanations			• • •				
	see	e separate sheet							
VI. Certain documents cited									
1.	Certain published documents (Rule 70.10)								
and / or									
2. Non-written disclosures (Rul 70.9)									

see s parat sh et

Reference is made to the following documents cited in the International search report:

D1: HIRST T R ET AL: 'Cholera toxin and related enterotoxins as potent immune modulators.' SOCIETY FOR APPLIED BACTERIOLOGY SYMPOSIUM SERIES, (1998) 27 26S-34S.

D2: EP-A-0 372 928 D3: US-A-5 241 053

D4: ZHANG T ET AL: 'Oral immunization with the dodecapeptide repeat of the serine-rich entamoeba histolytica protein (SREHP) fused to the cholera toxin B subunit induces a mucosal and systemic anti-SREHP antibody response' INFECTION AND IMMUNITY, US, AMERICAN SOCIETY FOR MICROBIOLOGY. WASHINGTON, vol. 63, no. 4, page 1349-1355.

D5: WILLIAMS N A ET AL: 'Immune modulation by the cholera-like enterotoxins: from adjuvant to therapeutic.' IMMUNOLOGY TODAY, (1999 FEB) 20 (2) 95- 101. D6: NASHAR T O ET AL: 'Importance of receptor binding in the immunogenicity, adjuvanticity and therapeutic properties of cholera toxin and Escherichia coli heatlabile enterotoxin.' MEDICAL MICROBIOLOGY AND IMMUNOLOGY, (1998 JUN) 187 (1) 3-10.

D7: RICHARDS C M ET AL: 'Induction of mucosal immunity against herpes simplex virus type 1 in the mouse protects against ocular infection and establishment of latency.' JOURNAL OF INFECTIOUS DISEASES, (1998 JUN) 177 (6) 1451-7.

D8: EP-A-0 919 243 D9: WO-A-99/36088

Section III:

Claims 1 to 23, 30 to 32 and 34 to 37 relate to subject-matter considered by this 1. Authority to be covered by the provisions of Rule 67.1(iv) PCT. Consequently no opinion will be formulated with respect to the industrial applicability of the subjectmatter of these claims (Article 34(4)(a)(i) PCT).

Section V:

- 1. The subject-matter of claims 1 to 28 and 30 to 35 does not comply with the requirements of Article 33(2) and (3) PCT.
- 1.1. D1 discloses the immunomodulatory effects of CtxB and EtxB. D1 discloses the mucosal response obtained with administration of said toxins (see p.28S). The use of said toxins as immune modulators in vaccines is disclosed both as recombinant fusion proteins and as chemical conjugates with antigens (see p. 30S, point 4). Also disclosed is a vaccine comprising glycoproteins from HSV administered with CtxB or EtxB (see p. 30S, left hand column, last paragraph). Thus, D1 discloses the subject-matter of claims 1 to 3, 24, 26 to 28 and 30 to 35 (Article 33(2) PCT).
- 1.2. D2 discloses EtxB fusion proteins comprising an antigen from a pathogen (see p.2, lines 16 to 54). The fusion proteins can be used as vaccines. Thus, the subject-matter of claims 1 to 26, 30 and 32 does not comply with the requirements of Article 33(2) PCT.
- 1.3. D3 discloses fusion proteins comprising EtxB and another protein. D3 specifically discloses such a fusion protein comprising antigen from several infectious agents (see abstract, column 1, first paragraph and column 2, lines 20 to 39). Thus, the subject-matter of claims 1 to 7, 9 to 11, 16, 17, 22 to 26, 30 and 32 is disclosed (Article 33(2) PCT).
- 1.4. D4 discloses a fusion protein comprising CtxB and antigen from Entamoeba histolytica and its use in a vaccine for prevention of infection with said parasite (see abstract, p.1349 and p. 1354, left hand column). Thus, the subject-matter of claims 1, 18, 22, 24 and 27 to 32 is disclosed (Article 33(2) PCT).
- 2. None of the cited documents specifically discloses a kit. However, the subject-matter of claim 29 does not seem to involve an inventive step (Article 33(3) PCT) in view of any of D1 to D4 because it is obvious to provide a kit with the known components for use in the known method.
 - The subject-matter of claims 36 and 37 concerns a vaccine against EBV and the use

of a vaccine for treatment of an EBV disease, respectively. Since such vaccines and uses are already known for herpes virus (see D1 to D3) the provision of a vaccine and use specific for EBV does not seem to involve an inventive step. Therefore, the subject-matter of claims 36 and 37 does not comply with the requirements of Article 33(3) PCT.

- Documents D5 to D7, cited in the International search report as an intermediate documents, may be detrimental to the novelty and inventiveness of the subjectmatter of the present claims if the priority date of 8 May 1998 is not validly claimed.
- 4. The subject-matter of claims 24 to 29 and 33 appears to be industrially applicable. For the assessment of the present claims 1 to 23, 30 to 32 and 34 to 37 on the question whether they are industrially applicable, no unified criteria exist in the PCT Contracting States. The patentability can also be dependent upon the formulation of the claims. The EPO, for example, does not recognize as industrially applicable the subject-matter of claims to the use of a compound in medical treatment, but may allow, however, claims to a known compound for first use in medical treatment and the use of such a compound for the manufacture of a medicament for a new medical treatment.

Section VI:

- Documents D8 and D9 are patent documents cited in the International search report.
 D8 was published on 2 June 1999 and filed on 25 November 1997. D9 was published on 22 July 1999, filed on 15 January 1999 and claims a priority date of 16 January 1998.
 - Should the present application be entered into the regional phase, the above documents could be relevant to the question of novelty.

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT).

51) International Patent Classification ⁶ :		(11) International Publication Number: WO 99/58145			
A61K 39/00	A2	(43) International Publication Date: 18 November 1999 (18.11.99)			
22) International Application Number: PCT/GB 22) International Filing Date: 10 May 1999 (30) Priority Data: 9809958.3 8 May 1998 (08.05.98) 9811954.8 3 June 1998 (03.06.98) 9812316.9 8 June 1998 (08.06.98) 71) Applicant (for all designated States except US): UNIVOF BRISTOL [GB/GB]; Senate House, Tyndall Clifton, Bristol BS8 1TH (GB). 72) Inventors; and 75) Inventors/Applicants (for US only): HIRST, Timos mond [GB/GB]; 30 Albert Road, Clevedon, Nort set BS21 7RR (GB). WILLIAMS, Neil, Andrew [16 Old Coach Road, Cross, Axbridge, Somerset E (GB). 74) Agent: NASH, David, Allan; Haseltine Lake & Co., House, 15–19 Kingsway, London WC2B 6UD (G	GGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGGG	BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAP patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR NE, SN, TD, TG). Published Without international search report and to be republished upon receipt of that report.			

(57) Abstract

There is disclosed the use of: (i) EtxB, CtxB or VtxB free from whole toxin; (ii) an agent other than EtxB or CtxB, having GM1-binding activity, or an agent other than VtxB having Gb3-binding activity; or (iii) an agent having an effect on intracellular signalling events mediated by GM1-binding or Gb3 binding; as an immunomodulator for a vaccine against infectious diseases.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

l al	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan ·	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BB	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
СМ	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		•
DK	Denmark	LK	Sri Lanka	SE	Sweden		
RR	Estonia	LR	Liberia	SG	Singapore		
					- •		
]							

WO 99/58145 PCT/GB99/01461

-1-

VACCINE

5

10

15

20

25

30

35

This invention relates to an immunomodulator for use in a vaccine which is intended for use against a range of infectious agents. Further this invention relates to a vaccine composition comprising the immunomodulator, preferably in combination with antigen and a vaccination method using the vaccine composition.

Cholera toxin (Ctx) and its close relative E. coli heat-labile enterotoxin (Etx) are potent immunogens and mucosal adjuvants. However, their inherent toxicity makes them unsuitable for human use. For example, although Ctx is the most commonly used mucosal adjuvant in experimental animals, it is unsuitable for use in humans because of its potent diarrhoea-inducing properties. Attempts have been made to separate toxicity from adjuvant activity, for example by using components of Ctx and Etx as replacements for the holotoxins themselves. E. coli verotoxin (Vtx) is another known bacterial toxin.

Ctx and Etx are heterohexameric proteins composed of a an enzymatically active A subunit and a pentameric B subunit. CtxB and EtxB are known to bind GM1-ganglioside (GM1), a glycosphingolipid found ubiquitously on the surface of mammalian cells. Vtx binds to Gb3 which is a similar type of receptor to GM1.

In an attempt to circumvent the problem of toxicity for vaccine development, the adjuvant activity of the non-toxic B subunits has previously been investigated. However, many of the reports describe experiments in which a commercial preparation of CtxB or EtxB was used. These preparations are inevitably contaminated with a small but biologically significant amount of active toxin, so the adjuvant activity attributable to the B subunit is indistinguishable from the adjuvant activity of the whole toxin (Wu and

WO 99/58145 PCT/GB99/01461

Russell (1993) Infection and Immunity 61: 314-322, US-5182109). Subsequent studies using recombinant CtxB (rCtxB) have suggested that CtxB is a poor mucosal adjuvant and only the addition of native holotoxin can provoke strong bystander responses (Tamura et al (1994) Vaccine 12: 419-426). Other studies have suggested that rCtxB lacks the ADP-ribosylating and the cAMP-stimulating activities of the holotoxin and that, as adjuvant mechanism is linked to these abilities, CtxB would be unsuitable for use as an adjuvant (Vajdy and Lycke (1992) Immunology 75: 488-492, Lycke et al (1992) Eur. J. Immunol. 22: 2277-2281, Douce et al (1997) Infection and Immunity 65: 2821-2828).

5

10

15

20

25

30

In another study, intranasal administration of ovalbumin using rCtxB as an adjuvant resulted in poor antibody responses. A non-toxic derivative of Ctx with a mutation in the A subunit also generated weak responses to bystander antigens, whereas the presence of an active A subunit dramatically enhanced adjuvant activity, suggesting that an active A subunit is essential (Douce et al (1997) as above).

It has also been shown that rCtxB and rEtxB can be used to promote tolerance to heterologous antigens (Sun et al (1994) Proc. Natl. Acad. Sci. 91: 4610-4614, Sun et al (1996) Proc. Natl. Acad. Sci. 93: 7196-7201, Bergerot et al (1997) Proc. Natl. Acad. Sci. 94: 4610-4614, Williams et al (1997) Proc. Natl. Acad. Sci. 94: 5290-5295), suggesting that these molecules would be unsuitable for use as adjuvants.

The basis of the present invention

In spite of the teaching in the art that CtxB and EtxB have poor adjuvanticity and can, in fact, act as tolerogens, the present inventors nevertheless

5

10

15

20

25

30

35

investigated the use of rEtxB (thus containing no residual holotoxin or A subunit) in an intranasal vaccine for HSV in a murine model and surprisingly found that it is able to stimulate protective immune responses to viral challenge. Specifically, the present inventors found that:

-3-

PCT/GB99/01461

- agents such as EtxB and CtxB stimulate high levels of local (mucosal) antibody production (although immunization using rEtxB stimulated lower levels of overall serum antibody production than Ctx/CtxB combined):
- the distribution of antibodies produced was ii) skewed towards non-complement fixing antibodies, especially S-IgA and IgG1;
- agents such as EtxB and CtxB also stimulated iii) local and systemic T-cell proliferative responses;
- agents such as CtxB and EtxB tend to shift the immune response from a Th1-associated response to a Th2-associated response;
- when agents such as CtxB and EtxB are used v) as immunomodulators some of the harmful effects of Th2associated responses, such as the generation of IgE, are avoided;
- rEtxB is a more efficient immunomodulator vi) than rCtxB:
- agents such as EtxB and CtxB are capable of vii) altering the way in which an antigen presenting cell internalises and processes antigen, increasing antigen persistence;
- viii) if an agent such as EtxB and CtxB is linked to an antigen, it is possible to alter the processing route of the antigen by altering the linkage to the immunomodulator; and
- VtxB exerts similar immunomodulatory effects on leukocyte populations in vitro to those exerted by EtxB and CtxB.

5

10

15

20

25

30

35

-4-

PCT/GB99/01461

These important discoveries are the basis of the various aspects of the present invention and enabled the inventors to predict that pure EtxB, CtxB and VtxB, as well as other agents capable of binding to or mimicking the effect of binding to GM1 or Gb3, will be useful as immunomodulators for use in vaccines in the prophylactic and therapeutic vaccination against HSV-1 infection, as well as other infections, the prevention or treatment of which would benefit from immunomodulation of the types listed above.

Stimulation of immune responses

EtxB, CtxB, VtxB and other agents capable of binding to or mimicking the effects of binding to GM1 or Gb3, are capable of acting as immunomodulators and stimulate specific immune responses to antigenic challenge.

According to a first aspect of the present invention, there is provided the use of:

- (i) EtxB, CtxB or VtxB free from whole toxin;
- (ii) an agent other than EtxB or CtxB, having GM1-binding activity, or an agent other than VtxB having Gb3-binding activity; or
- (iii) an agent having an effect on intracellular signalling events mediated by GM1-binding or Gb3 binding;

as an immunomodulator for a vaccine against infectious diseases.

According to a second aspect of the present invention, there is provided a vaccine composition for use against an infectious disease, which infectious disease is caused by an infectious agent, wherein the vaccine composition comprises an antigenic determinant and an immunomodulator selected from:

- (i) EtxB, CtxB or VtxB free from whole toxin;
- (ii) an agent other than EtxB or CtxB, having

5

10

15

20

25

30

35

-5-

PCT/GB99/01461

GM1-binding activity, or an agent other than VtxB having Gb3-binding activity; or

(iii) an agent having an effect on intracellular signalling events mediated by GM1-binding or Gb3 binding;

wherein said antigenic determinant is an antigenic determinant of said infectious agent.

The antigen and immunomodulator may be linked, for example covalently or genetically linked, to form a single effective agent. In a specific embodiment of this invention the antigen and immunomodulator may be chemically conjugated. For example, the antigen and immunomodulator may be chemically conjugated using heterobifunctional cross-linking reagents. In most applications of this aspect of the invention, separate administration (in which the antigen and immunomodulator are not so linked) is preferred because it enables separate administration of the different moieties.

According to a third aspect of the present invention, there is provided a kit for vaccination of a mammalian subject, such as a human or veterinary subject, against an infectious disease, comprising:

- a) one of the following agents:
- (i) EtxB, CtxB or VtxB free from whole toxin;
- (ii) an agent other than EtxB or CtxB, having GM1-binding activity, or an agent other than VtxB having Gb3-binding activity; or
- (iii) an agent having an effect on intracellular signalling events mediated by GM1-binding or Gb3 binding; and
- b) an antigenic determinant which is an antigenic determinant of the infectious disease, for coadministration with the said vaccine immunomodulator.

The vaccine composition of the second aspect of the invention and the kit of the third aspect of the

-6-

invention may be used in a prophylactic or therapeutic vaccination method, where a "prophylactic vaccine" is administered to naive individuals to prevent disease development, and a "therapeutic vaccine" is administered to individuals with an existing infection to reduce or minimise the infection or to abrogate the immunopathological consequences of the disease.

5

10

15

20

25

30

35

Agents such as EtxB have the capacity to alter the nature of the immune response once infection has occurred. A therapeutic vaccine (i.e. one which need not contain antigen) comprising such an agent may find particular use in circumstances in which the immune response has failed to get rid of an infection. This application may be of particular use to treat a chronic disease, for example a disease for which the causative agent is selected from the group consisting of herpes viruses, hepatitis viruses, HIV, TB and parasites.

According to a fourth aspect of the present invention there is provided a method of preventing or treating a disease in a host, which method comprises the step of inoculating said host with a vaccine comprising at least one antigenic determinant and an immunomodulator, where the immunomodulator is:

- (i) EtxB, CtxB or VtxB free from whole toxin;
- (ii) an agent other than EtxB or CtxB, having GM1-binding activity, or an agent other than VtxB having Gb3-binding activity; or
- (iii) an agent having an effect on intracellular signalling events mediated by GM1-binding or Gb3 binding.

The vaccine may be packaged for coadministration and may be administered by a number of different routes such as intranasal, oral, intra-vaginal, urethral or ocular administration. Intranasal immunisation is presently preferred. When a vaccine is administered intranasally, it may be administered as an aerosol or

-7-

in liquid form.

5

10

15

20

25

30

35

The antigenic determinant and immunomodulator may be administered to the subject as a single dose or in multiple doses.

In a first embodiment the immunomodulator of the first aspect of the invention, the vaccine of the second aspect of the invention, the kit of the third aspect of the invention and the method of the fourth aspect of the invention is used against a disease for which the infectious agent is a member of the herpes virus family. For example, the infectious agent may be selected from the group consisting of HSV-1, HSV-2, EBV, VZV, CMV, HHV-6, HHV-7 and HHV-8. In particular, the infectious agent may be HSV-1, HSV-2, CMV or EBV.

In this first embodiment, the antigenic determinant is preferably an antigenic determinant of an immediate early, early or late gene product (for example a surface glycoprotein) of the herpes virus.

If the infectious agent is HSV-1 or HSV-2, the antigenic determinant may be an antigenic determinant of a gene product selected from the following group: gD, gB, gH, gC or a latency associated transcript (LAT).

If the infectious agent is EBV, the antigenic determinant may be an antigenic determinant of gp340 or gp350 or of a latent protein (for example EBNAs 1,2, 3A, 3B, 3C and -LP, LMP-1, -2A and 2B or an EBER).

In a second embodiment, the immunomodulator of the first aspect of the invention, the vaccine of the second aspect of the invention, the kit of the third aspect of the invention and the method of the fourth aspect of the invention is used against a disease for which the infectious agent is an influenza virus.

In this second embodiment, the antigenic determinant is preferably an antigenic determinant of a viral coat protein (for example haemagglutinin and

-8-

neuraminidase) or of an internal protein (for example, nucleoprotein).

In a third embodiment, the immunomodulator of the first aspect of the invention, the vaccine of the second aspect of the invention, the kit of the third aspect of the invention and the method of the fourth aspect of the invention is used against a disease for which the infectious agent is a parainfluenza virus.

5

10

15

20

25

30

35

In a fourth embodiment, the immunomodulator of the first aspect of the invention, the vaccine of the second aspect of the invention, the kit of the third aspect of the invention and the method of the fourth aspect of the invention is used against a disease for which the infectious agent is respiratory syncytial virus.

In a fifth embodiment, the immunomodulator of the first aspect of the invention, the vaccine of the second aspect of the invention, the kit of the third aspect of the invention and the method of the fourth aspect of the invention is used against a disease for which the infectious agent is a hepatitis virus. For example, the infectious agent may be selected from the group consisting of hepatitis A, B, C and D. In particular the infectious agent may be hepatitis A or C.

In a sixth embodiment, the immunomodulator of the first aspect of the invention, the vaccine of the second aspect of the invention, the kit of the third aspect of the invention and the method of the fourth aspect of the invention is used against meningitis. In this sixth embodiment, the infectious agent may be selected from the group consisting of Neisseria meningitidis, Haemophilus influenzae type B and Streptococcus pneumoniae.

In a seventh embodiment, the immunomodulator of

PCT/GB99/01461

WO 99/58145

-9-

the first aspect of the invention, the vaccine of the second aspect of the invention, the kit of the third aspect of the invention and the method of the fourth aspect of the invention is used against pneumonia or a respiratory tract infection. In this seventh embodiment, the infectious agent may be selected from the group consisting of Streptococcus pneumoniae, Legonella pneumophila and Mycobacterium tuberculosis.

5

10

15

20

25

30

In an eigth embodiment, the immunomodulator of the first aspect of the invention, the vaccine of the second aspect of the invention, the kit of the third aspect of the invention and the method of the fourth aspect of the invention is used against a sexuallytransmitted disease. In this eighth embodiment, the infectious agent may be selected from the group consisting of Neisseria gonnorheae, HIV-1, HIV-2 and Chlamydia trachomatis.

In an ninth embodiment, the immunomodulator of the first aspect of the invention, the vaccine of the second aspect of the invention, the kit of the third aspect of the invention and the method of the fourth aspect of the invention is used against a gastrointestinal disease. In this ninth embodiment, the infectious agent may be selected from the group consisting of enteropathogenic, enterotoxigenic and enteroinvasive E.coli, rotavirus, Salmonella enteritidis, Salmonella typhi, Helicobacter pylori, Bacillus cereus, Campylobacter jejuni and Vibrio cholerae.

If the infectious agent is selected from the group consisting of enteropathogenic, enterotoxigenic, enteroinvasive, enterohaemorrhagic and enteroaggregative E.coli, then the antigenic determinant may be an antigenic determinant of a

-10-

bacterial toxin or adhesion factor.

In a tenth embodiment, the immunomodulator of the first aspect of the invention, the vaccine of the second aspect of the invention, the kit of the third aspect of the invention and the method of the fourth aspect of the invention is used against a superficial infection. In this tenth embodiment, the infectious agent may be selected from the group consisting of Staphylococcus aureus, Streptococcus pyogenes and Streptococcus mutans.

In an eleventh embodiment, the immunomodulator of the first aspect of the invention, the vaccine of the second aspect of the invention, the kit of the third aspect of the invention and the method of the fourth aspect of the invention is used against a parasitic disease. In this eleventh embodiment, the infectious agent may be selected from the group consisting of malaria, Trypanasoma spp., Toxoplasma gondii, Leishmania donovani and Oncocerca spp.

20

25

30

35

5

10

15

Stimulation of mucosal immune responses

EtxB, CtxB, VtxB and other agents capable of binding to or mimicking the effects of binding to GM1 or Gb3, are capable of specifically upregulating mucosal antibody production.

The vaccine immunomodulator of the first aspect of the invention, the vaccine composition of the second aspect of the invention and the kit of the third aspect of the invention are particularly effective against diseases where protection from infection or treatment is effected in vivo by a mucosal immune response. For example, against diseases in which, during infection, the infectious agent binds to, colonises or gains access across the mucosa. Examples of such diseases include, diseases caused by viruses (HIV, HSV, EBV,

-11-

CMV, influenza, measles, mumps, rotavirus etc), diseases caused by bacteria (E. coli, Salmonella, Shigella, Chlamydia, N. gonnorhoea, T. pallidium, Streptococcus species including those which cause dental caries), and diseases caused by parasites.

5

10

15

20

25

30

35

In a preferred embodiment of the second aspect of the present invention there is provided a vaccine against HSV-1 infection comprising at least one HSV-1 antigenic determinant and an immunomodulator, where the immunomodulator is:

- (i) EtxB, CtxB or VtxB free from whole toxin;
- (ii) an agent other than EtxB or CtxB, having GM1-binding activity, or an agent other than VtxB having Gb3-binding activity; or
- (iii) an agent having an effect on intracellular signalling events mediated by GM1-binding or G3b binding.

Preferably the immunomodulator is EtxB.

In a preferred embodiment of the third aspect of the present invention there is provided a kit for vaccination of a mammalian subject against an HSV-1, comprising:

- a) a vaccine immunomodulator which is:
- (i) EtxB, CtxB or VtxB free from whole toxin;
- (ii) an agent other than EtxB or CtxB, having GM1-binding activity, or an agent other than VtxB having Gb3-binding activity; or
- (iii) an agent having an effect on intracellular signalling events mediated by GM1-binding or G3b binding; and
- b) at least one HSV-1 antigenic determinant, for coadministration with the said vaccine immunomodulator.

According to a fifth aspect of the invention there is provided the use of:

(i) EtxB, CtxB or VtxB free from whole toxin;

-12-

- (ii) an agent other than EtxB or CtxB, having GM1-binding activity, or an agent other than VtxB having Gb3-binding activity; or
- (iii) an agent having an effect on intracellular signalling events mediated by GM1-binding or Gb3 binding

5

10

15

20

25

30

35

to upregulate the production of antibodies at mucosal surfaces. The production of non-complement-fixing serum antibodies may also be upregulated. Preferably, S-IgA is produced in accordance with the fifth aspect of the invention.

In this fifth aspect of the present invention, the agent may be used in conjunction with one or more antigenic determinant(s).

Downregulating the pathological components of immune responses

The inventors also found that when pure EtxB was used as an immunomodulator in the described way, the harmful effects of Th2 associated responses, such as the generation of high levels of potentially pathological IgE, were avoided. Despite this, the immune response triggered by the use of EtxB (or CtxB or VtxB) as an immunomodulator appears to favour the induction of Th2-associated cytokines. In other words EtxB (or CtxB) induces a shift from a Th1- to a Th2-type response. This has enabled the inventors to predict that pure EtxB, CtxB or VtxB, as well as other agents capable of binding to or mimicking the effect of binding to GM1 or Gb3, will be capable of down regulating pathological components of the immune response associated with both Th1 and Th2 activation.

According to a sixth aspect of the present invention, there is provided the use of:

- (i) EtxB, CtxB or VtxB free from whole toxin;
- (ii) an agent other than EtxB or CtxB, having

-13-

GM1-binding activity, or an agent other than VtxB having Gb3-binding activity; or

5

10

15

20

25

30

35

(iii) an agent having an effect on intracellular signalling events mediated by GM1-binding or Gb3 binding;

to downregulate the pathological components of Th2-associated immune responses. The pathological components of Th1-associated immune responses may also be downregulated.

It is known that EtxB and CtxB bind to GM1 and induce differential effects on lymphocyte populations, including a specific depletion of CD8+ T cells and an associated activation of B cells (WO 97/02045). EtxB and CtxB are thought to alter the balance of the immune response such that inflammatory Th1 associated reactions are down-regulated while Th2 associated responses are upregulated. Thi responses include the secretion of VIFN by activated T-cells leading to macrophage activation and delayed type hypersensitivity reactions. Such responses may be an important cause of pathology during infections with a number of pathogens. Th2 responses include the activation of T-cells to produce cytokines such as IL-4, IL-5, IL-10, and are known to promote the secretion of high levels of antibody, especially IgA.

It has now surprisingly been found that when EtxB is used as an immunomodulator in the described way, the harmful effects of Th2 associated responses, such as the generation of high levels of potentially pathological IgE, are avoided. Therefore, EtxB and CtxB are capable of down regulating pathological components of the immune response associated both with Th1 and Th2 activation. Such responses are modulated in favour of the production of high levels of non-complement fixing serum antibodies and secretory IgA production at the mucosal surfaces.

-14-

The use of an agent in accordance with the sixth aspect of the invention is particularly useful for therapeutic vaccination in diseases in which immunopathological mechanisms are involved. Examples of such diseases are HSV-1, HSV-2, TB and HIV.

The first and sixth aspects of the invention can be combined. In other words, agents such as EtxB can be used simultaneously as an immunomodulator and a therapeutic agent. For example in diseases where immunopathological mechanisms are involved, the use of a vaccine incorporating agents such as EtxB or CtxB may act not only to limit infection, but also to abrogate the pathological disease processes. The immunomodulating agent is thus acting both prophylactically and therapeutically. Examples of infections where vaccination in this way is therefore likely to be of particular value include those caused by the herpes virus family, gastrointestinal and respiratory tract pathogens.

20

25

30

35

5

10

15

Immunomodulation of the antigen processing pathway

a) prolonging presentation

The present inventors have also found that when EtxB (or CtxB or VtxB) is used as an immunomodulator, the antigen internalisation and processing pathway is altered. The presence of the B subunit causes prolonged presentation, possibly by altering antigen trafficking inside the antigen presenting cell such that antigen degradation is delayed and therefore maintained over longer periods. This feature of B-subunit associated antigen presentation means that vaccines incorporating an agent in accordance with the present invention will have increased antigen persistence and lead to sustained immunological memory.

According to a seventh aspect of the present invention, there is provided the use of:

-15-

EtxB, CtxB or VtxB free from whole toxin; (i)

an agent other than EtxB or CtxB, having (ii) GM1-binding activity, or an agent other than VtxB having Gb3-binding activity; or

5

10

15

20

25

30

(iii) an agent having an effect on intracellular signalling events mediated by GM1-binding or Gb3 binding;

as an immunomodulator in a vaccine, to prolong antigen presentation and give sustained immunological memory in a mammalian subject.

According to an eighth aspect of the present invention, there is provided a vaccine composition for use against an infectious disease, comprising an antigenic determinant and a immunomodulator selected from:

- EtxB. CtxB or VtxB free from whole toxin; (i)
- an agent other than EtxB or CtxB, having GM1-binding activity, or an agent other than VtxB having Gb3-binding activity; or
- (iii) an agent having an effect on intracellular signalling events mediated by GM1-binding or Gb3 binding;

wherein said antigenic determinant is an antigenic determinant of said infectious disease and wherein the immunomodulator prolongs presentation of the antigenic determinant and gives sustained immunological memory.

intracellular targeting of the antigen to a MHC-I **b**) or MHC-II associated pathway

As aforementioned, the antigen and immunomodulator in a therapeutic or prophylactic vaccine may be linked, for example covalently or genetically linked, to form a single effective agent. The present inventors have found that is possible to direct the antigen to different compartments of the cell and hence to 35 different antigen presentation pathways by altering the

linkage of the antigen to the immunomodulator.

5

10

15

20

25

30

35

By linking the antigen or antigenic determinant to the immunomodulator in a certain way, it is possible to facilitate translocation of the antigen across the endosomal membrane into the cytosol. The present inventors predict that this would enhance loading of antigenic peptides on to MHC class I molecules. The use of an antigen-immunomodulator conjugate can therefore be used to specifically enhance the activation of cytotoxic T cells (CTL). Induction of CTL is beneficial for the prevention and treatment of many diseases especially those caused by viruses, intracellular bacteria and parasites.

The linkage of the antigen-immunomodulator conjugate can also be chosen so that the antigen is delivered into the nucleus.

According to a ninth aspect of the present invention there is provided a conjugate comprising an antigen or antigenic determinant and an immunomodulator selected from:

- (i) EtxB, CtxB or VtxB free from whole toxin;
- (ii) an agent other than EtxB or CtxB, having GM1-binding activity, or an agent other than VtxB having Gb3-binding activity; or
- (iii) an agent which has an effect on vesicular internalisation mediated by GM1-binding or Gb3 binding.

According to a tenth aspect of the present invention there is provided a vaccine composition for use against an infectious disease, which infectious disease is caused by an infectious agent, which vaccine composition comprises a conjugate of an antigen or antigenic determinant and an immunomodulator selected from:

- (i) EtxB, CtxB or VtxB free from whole toxin;
- (ii) an agent other than EtxB or CtxB, having GM1-binding activity, or an agent other than VtxB

5

10

15

20

25

30

35

having Gb3-binding activity; or

(iii) an agent which has an effect on vesicular internalisation mediated by GM1-binding or G3b binding;

wherein said antigen or antigenic determinant is an antigen or antigenic determinant of said infectious agent.

The antigen or antigenic determinant may be linked to the immunomodulator by a variety of methods including genetic linkage or chemical conjugation. a first preferred embodiment the conjugate is a fusion protein made by genetic linkage of the antigen or antigenic determinant to the immunomodulator. Preferably the antigen or antigenic determinant is genetically linked to the C-terminus of the immunomodulator. In a second preferred embodiment the antigen or antigenic determinant is chemically conjugated to the immunomodulator. Preferably the antigen or antigenic determinant is conjugated to the immunomodulator using a bifunctional cross-linking reagent, such as a heterobifunctional cross-linking reagent. More preferably the cross-linking agent is Ny(-maleimido-butyroxyl)-succinimide ester (GMBS) or Nsuccinimidyl-(3-pyridyl-dithio)-propionate (SPDP). The vaccine composition may be administered by a number of different routes such as intranasal, oral, intravaginal, urethral or ocular administration. Intranasal immunisation is preferred.

According to an eleventh aspect of the present invention there is provided the use of:

- (i) EtxB, CtxB or VtxB free from whole toxin;
- (ii) an agent other than EtxB or CtxB, having GM1-binding activity, or an agent other than VtxB having Gb3-binding activity; or
- (iii) an agent which has an effect on vesicular internalisation mediated by GM1-binding or Gb3 binding; in a conjugate with antigen or antigenic

-18-

determinant to target the delivery or said antigen or antigenic determinant to the cytosol or nucleus of an antigen presenting cell.

According to a twelfth aspect of the present invention there is provided the use of:

- (i) EtxB, CtxB or VtxB free from whole toxin;
- (ii) an agent other than EtxB or CtxB, having GM1-binding activity, or an agent other than VtxB having Gb3-binding activity; or

(iii) an agent which has an effect on vesicular internalisation mediated by GM1-binding or Gb3 binding;

in a conjugate with antigen or antigenic determinant to upregulate the presentation of said antigenic determinant, or an antigenic determinant derived from said antigen, by MHC class I molecules.

Preferably the use of the conjugate of the twelfth aspect of the invention is used is combination with the use of the agent in accordance with the fifth aspect of the invention to stimulate strong CTL responses and to upregulate mucosal antibody production. This activity would be particularly useful in the prevention and treatment of viral infections, for example influenza.

EtxB is the preferred immunomodulator

25 It has previously been thought that EtxB and CtxB have similar properties. However, the present inventors have found that rEtxB is a more potent and efficient immunomodulator than rCtxB. Hence the preferred immunomodulator is EtxB, or agents which mimic the effects of EtxB.

<u>ebv</u>

5

10

15

20

35

EBV is one of the eight known human herpes viruses. Infection usually occurs in early childhood; however, clinical symptoms are usually weak or undetectable at this stage. Primary infection with EBV

-19-

later in life is associated with infectious mononucleosis (IM), which is the second most frequent disease in adolescence in the US. EBV also has oncogenic potential. There is a strong link between EBV and endemic Burkitt's lymphoma (BL) and undifferentiated nasopharyngeal carcinoma (NPC). Also, a large proportion of lymphomas that occur in immunocompromised patients are caused by EBV, and an association has been shown to exist between certain Hodgkin's lymphomas and EBV.

5

10

15

20

25

30

35

Latently EBV-infected cells express a small number of so-called "latent" proteins. These include six nuclear proteins (EBNAs 1, 2, 3A, 3B, 3C and -LP), three integral membrane proteins (LMP-1, 2A and 2B) and two non-polyadenylated virus derived RNAs (EBERs) with a role in RNA splicing.

EBV latent membrane protein 1 (LMP-1) is present in the plasma membrane of infected cells. It is also expressed in nasopharyngeal carcinomas (NPCs) and EBV-positive Hodgkin's lymphomas (HD) which indicates a role for LMP-1 in the development of these tumours. The LMP-1 gene can alter the phenotype of uninfected cells causing the upregulation of cell surface activation markers, promoting cell proliferation. LMP-1 can also alter signalling pathways and has antiapoptotic effects. An cellular immune response directed against this viral antigen has not been demonstrated with any degree of certainty in either healthy carriers or tumour patients.

Many animal viruses have evolved mechanisms to avoid detection by the host immune system. Commonly, these mechanisms involve interference with the TAP-associated peptide translocation system. It is thought that EBV has also evolved similar mechanisms to avoid immune system detection, thus allowing its persistence in the host. This explains why certain cellular immune

5

10

15

20

25

30

35

responses are not detectable to the EBV latent protein EBNA1 and could explain the apparent absence of such responses against LMP1.

According to an thirteenth aspect of the invention there is provided a vaccine composition which comprises:

- a) one of the following agents:
- (i) EtxB, CtxB or VtxB free from whole toxin;
- (ii) an agent other than EtxB or CtxB, having GM1-binding activity, or an agent other than VtxB having Gb3-binding activity; or
- (iii) an agent having an effect on intracellular signalling events mediated by GM1-binding or Gb3 binding; and
- b) an EBV antigen for use in the treatment and/or prevention of EBVassociated diseases.

In particular the vaccine composition of the thirteenth aspect of the invention comprises EtxB, CtxB, or an agent other than EtxB or CtxB which has GM1-binding activity.

According to a fourteenth aspect of the invention there is provided a therapeutic composition which comprises:

- (i) EtxB, CtxB or VtxB free from whole toxin;
- (ii) an agent other than EtxB or CtxB, having GM1-binding activity, or an agent other than VtxB having Gb3-binding activity; or
- (iii) an agent having an effect on intracellular signalling events mediated by GM1-binding or Gb3 binding;

for use in the treatment of EBV-associated diseases.

In particular the therapeutic composition of the fourteenth aspect of the invention comprises EtxB, CtxB, or an agent other than EtxB or CtxB which has

-21-

PCT/GB99/01461

GM1-binding activity.

10

15

20

25

30

35

Based on the knowledge that EtxB cocaps with LMP1, and that EtxB promotes fragmentation of LMP-1, it is theorised that EtxB (and other agents like CtxB having GM1 binding activity) will be useful to stimulate anti-EBV immune responses. This activity has applications in vaccines to prevent EBV associated diseases, and in therapeutic treatments to treat such diseases once they have developed.

Without wishing to be bound by theory, it is believed that when EtxB cocaps with LMP-1 the antigen is processed by a different intracellular route, which enables the antigen to by-pass the normal processing route which is blocked by the virus. The antigen is thus presented efficiently on the cell surface. The action of EtxB may also cause different epitopes of the antigen to be presented at the cell surface, from those which are presented if the antigen were processed by the conventional route.

The vaccine of the thirteenth aspect of the invention may be used to prevent infection by EBV, or development of EBV-associated diseases in EBV-infected individuals. The vaccine may also comprise a separate adjuvant, or the agent (such as EtxB or CtxB) can act as an adjuvant in its own right.

The agents specified in the fourteenth aspect of the present invention may be used alone (i.e. without antigen) in the treatment of a EBV-associated disease which has already developed in a subject.

The preferred agent for use in the thirteenth and fourteenth aspects of the invention is EtxB.

The EBV antigen is an antigen derivable from EBV itself or an antigen which is caused to be expressed by an EBV-infected host cell by the action of EBV.

Preferably the antigen is an EBV latent membrane protein. Particularly preferred are the antigens LMP-

-22-

1, LMP-2A, LMP-2B, and EBNA-1 as well as antigenic fragments thereof. The antigen may be isolated directly from EBV infected cells, or be made by synthetic or recombinant means.

5

10

15

20

25

35

The thirteenth and fourteenth aspects of present invention are particularly suited for the treatment and/or prevention of the following diseases: infectious mononucleosis, Burkitt's lymphoma, nasopharyngeal carcinomas, and Hodgkin's lymphomas. It is believed that these aspects of the invention will be particularly suited to the treatment and/or prevention of nasopharyngeal carcinomas and Hodgkin's lymphomas.

The vaccine or the therapeutic composition according to the thirteenth and fourteenth aspects of the invention may be used to prevent development of, or treat, an EBV-associated disease in a mammalian subject, by administration of an immunologically effective amount to the subject.

The mammalian subject may be, for example, a healthy EBV-infected or uninfected individual, an immunodeficient individual, or an individual with an EBV-associated disease.

The vaccine may be administered by any suitable route. The agent and the antigen may be coadministered to the mammalian subject or administered separately. The agent and the antigen may be separate or linked, for example covalently or genetically linked, to form a single effective agent.

30 GM-1 and Gb3-associated signalling

Without wishing to be bound by theory, it is believed that GM1 or Gb3 binding may trigger intracellular signalling directly or indirectly. The present inventors have also found evidence which suggests that EtxB interacts with at least one other receptor which is involved in the GM1 associated

-23-

intracellular signalling event. It may be that binding of EtxB (or CtxB) to GM1 facilitates binding to a protein, which protein triggers intracellular signalling. It is not known what specifically triggers the signalling event, it may be phosphorylation of GM1 or the protein. When EtxB/CtxB binds GM1 on the cell surface, bound GM1 is internalised in vesicles (Williams et al (1999) Immunology Today 20;95-101).

GM1 and other glycolipids (such as Gb3) are known to be preferentially located in "membrane rafts" in which key protein receptors are also found. It is therefore possible that internalisation of GM1 as a result of B-subunit binding causes cocapping of such proteins leading to their being triggered to mediate intracellular signalling events.

Definitions

5

10

15

20

25

30

35

An adjuvant is a substance which non-specifically enhances the immune response to an antigen, as distinct from a vaccine carrier, the purpose of which is to target the antigen to a desired site. The term "immunomodulator" is used herein to indicate an agent which acts, like an adjuvant, to stimulate certain immune responses, but which also directs the immune response in a particular direction.

The term "coadministration" is used to mean that the site and time of administration of the antigen and immunomodulator are such that the necessary immune response is stimulated. Thus, while the antigen and the immunomodulator may be administered at the same moment in time and at the same site, there may be advantages in administering the antigen at a different time and/or at a different site from the immunomodulator. For example, antigen and immunomodulator may be administered together in a first step and then the immune response may be boosted in a

-24-

second step by administration of antigen alone.

5

10

15

20

25

30

35

The term "antigenic determinant" as used herein refers to a site on an antigen which is recognised by an antibody or T-cell receptor. Preferably it is a short peptide derived from or as part of a protein antigen, however the term is also intended to include glycopeptides and carbohydrate antigenic determinants. The term also includes modified sequences of amino acids or carbohydrates which stimulate responses which recognise the whole organism.

There are a number of known methods by which it is possible to identify antigenic determinants for a given infectious agent.

For example, potential protective antigens may be identified by elevating immune responses in infected or convalescent patients, in infected or convalescent animals, or by monitoring in vitro immune responses to antigen containing preparations. For example,

- i) serum samples from infected or convalescent patients or infected or convalescent animals may be screened against whole cell lysates of an infectious agent, or lysates of cells infected by the said agent, by the standard technique of Western blotting to detect those antigen(s) recognised by the immune serum;
- ii) serum samples from infected or convalescent patients or infected or convalescent animals may be screened against partial or highly purified antigens from an infectious agent, or lysates of cells infected by the said agent, by the standard technique s of ELISA, in which partial or highly purified antigens are used to coat microtitre wells, or by iimuno blotting to detect those antigen(s) recognised by the immune sera;
- iii) serum samples from infected or convalescent patients or infected or convalescent animals may be screened against whole cell lysates derived from

-25-

recombinant expression systems encoding one or more antigens of interest, and using the standard techniques of ELISA or Western blotting to detect those antigen(s) recognised by the immune serum;

5.

10

15

20

25

30

35

iv) serum samples from infected or convalescent patients or infected or convalescent animals may be screened against an expression library containing cloned genes from the infectious agent of interest, using colony blot immunodectection to identify that clones expressing antigens, or fragments thereof, that are recognised by the immune serum; or

v) PBLs from the blood of infected or convalescent patients or PBL's, lymph node cells, spleen cells, or lamina propria cells from infected or convalescent animals may be cultured *in vitro* in the presence of partial or highly purified antigens derived from either an infectious agent, or lysates of cells infected by the said agent, or a recombinant expression system encoding one or more antigens, so as detect antigenspecific T-cell proliferative responses.

Alternatively it is possible to detect gene products which are essential for the in vivo survival of pathogens, as exemplified by the technique of signature tagged mutagenesis developed by Holden or the detection of gene products specifically induced in vivo, such as IVET (In Vivo Expression Technology) developed by Mekalanos or differential fluorescence induction developed by Falkow, identify a subset of genes amongst which are likely to potential protective antigens. Using these methods the gene products may be screened as outlined above. The genes may be cloned into expression vectors and the antigens recovered for inclusion into vaccine formulations together with agents that modulate a glycosphingolipid-associated activity.

-26-

There are a number of known methods by which it is possible to isolate antigens for a given infectious agent.

5

10

15

20

25

30

35

For example, surface components of an infectious agent comprising one or more potential protective antigens may be extracted from the agent, or from cells infected by the agent, by use of procedures that allow the recovery of the antigens. This may include the use of cell disruption techniques to lyse cells such as sonication and/or detergent extraction. Centrifugation, ultrafiltation or precipitation may be used on collected antigen preparations. The antigen preparation containing HSV-1 glycoproteins described in Richards et al., (1998) J. Infect. Dis. 177;1451-7, exemplifies such a method.

Also, antigens of an infectious agent, or from cells infected by a said agent may be extracted by a variety of procedures, including but not limited to, urea extraction, alkali or acid extraction, or detergent extraction and then subjected to chromatographic separation. Material recovered in void or elution peaks comprising one or more potential protective antigens may used in vaccine formulations.

Alternatively, genes encoding one or more potential protective antigens may be cloned into a variety of expression vectors suitable for antigen production. These may include bacterial or eukaryotic expression systems, for example Escherichia coli, Bacillus spp., Vibrio spp. Sacarromyces cerevisiae, mammalian and insect cell lines. Antigens may be recovered by conventional extraction, separation and/or chromatographic procedures.

The terms "CtxB", "EtxB" and "VtxB" as used herein include natural and recombinant forms of the molecule. The recombinant form is particularly preferred. The recombinant form of the molecule may be produced by a

-27-

method in which the gene or genes coding for the specific polypeptide chain (or chains) from which the protein is formed, is inserted into a suitable vector and then used to transfect a suitable host. For example, the gene coding for the polypeptide chain from which the EtxB assemble may be inserted into, for example, plasmid pMM68, which is then used to transfect host cells, such as Vibrio sp.60. The protein is purified and isolated in a manner known per se. Mutant genes expressing active mutant CtxB, EtxB or VtxB protein may be produced by known methods from the wild type gene.

5

10

15

20

25

30

35

The terms "CtxB", "EtxB" and "VtxB" also include mutant molecules and other synthetic molecules (containing parts of CtxB, EtxB or VtxB) which retain the capacity to bind GM1 or Gb3 or the capacity to mimick the effects of binding to GM1 or Gb3.

Agents other than EtxB and CtxB which retain GM1 binding activity, and agents other than VtxB which retain Gb3 binding activity include antibodies which bind GM1 or Gb3.

For the production of antibodies, various hosts including goats, rabbits, rats, mice, etc. may be immunized by injection with GM1 or Gb3 or any derivative or homologue thereof. Depending on the host species, various adjuvants may be used to increase immunological response. Such adjuvants include, but are not limited to, Freund's, mineral gels such as aluminium hydroxide, and surface active substances such as lysolecithin, pluronic polyols, polyanions, peptides, oil emulsions, keyhole limpet hemocyanin, and dinitrophenol. BCG (Bacilli Calmette-Guerin) and Corynebacterium parvum are potentially useful human adjuvants.

Humanised monoclonal antibodies may be preferred in the present invention. Monoclonal antibodies may be

5

10

15

20

25

30

prepared using any technique which provides for the production of antibody molecules by continuous cell lines in culture. These include, but are not limited to, the hybridoma technique originally described by Koehler and Milstein (1975 Nature 256:495-497), the human B-cell hybridoma technique (Kosbor et al (1983) Immunol Today 4:72; Cote et al (1983) Proc Natl Acad Sci 80:2026-2030) and the EBV-hybridoma technique (Cole et al (1985) Monoclonal Antibodies and Cancer Therapy, Alan R Liss Inc, pp 77-96). In addition, techniques developed for the production of "chimeric antibodies", the splicing of mouse antibody genes to human antibody genes to obtain a molecule with appropriate antigen specificity and biological activity can be used (Morrison et al (1984) Proc Natl Acad Sci 81:6851-6855; Neuberger et al (1984) Nature 312:604-608; Takeda et al (1985) Nature 314:452-454). Alternatively, techniques described for the production of single chain antibodies (US Patent No. 4,946,779) can be adapted to produce target interaction component specific single chain antibodies.

Antibodies may also be produced by inducing in vivo production in the lymphocyte population or by screening recombinant immunoglobulin libraries or panels of highly specific binding reagents as disclosed in Orlandi et al (1989, Proc Natl Acad Sci 86: 3833-3837), and Winter G and Milstein C (1991; Nature 349:293-299).

Antibody fragments which contain specific binding sites for GM1 or Gb3 may also be generated. For example, such fragments include, but are not limited to, the F(ab')₂ fragments which can be produced by pepsin digestion of the antibody molecule and the Fab fragments which can be generated by reducing the

-29-

disulfide bridges of the F(ab')₂ fragments. Alternatively, Fab expression libraries may be constructed to allow rapid and easy identification of monoclonal Fab fragments with the desired specificity (Huse WD et al (1989) Science 256:1275-128 1).

5

10

15

20

25

30

35

Peptide libraries or organic libraries may be made by combinatorial chemistry and then screened for their ability to bind GM1/Gb3. Synthetic compounds, natural products, and other sources of potentially biologically active materials can be screened in a number of ways deemed to be routine to those of skill in the art.

GM1 or Gb3 or fragments thereof can be used for screening peptides or molecules in any of a variety of screening techniques. The molecule may be free in solution, affixed to a solid support, borne on a cell surface, or located intracellularly. The abolition of activity or the formation of binding complexes between GM1 or Gb3 and the agent being tested may be measured.

Another way of determining binding to GM1/Gb3 would be by using purified GM1/Gb3 to coat microtiter plates. Following blocking, the agent under investigation is applied to the plate and allowed to interact prior to washing and detection with specific antibodies to said agent. Conjugation of the antibodies either directly or indirectly to an enzyme or radiolabel allows subsequent quantification of binding either using colorimetric or radioactivity based methods (ELISA or RIA respectively).

Another way of determining binding to GM1/Gb3 would be by binding the saccharide moiety of GM1/Gb3 to a suitable column matrix in order to allow standard affinity chromatography to be performed. Removal of known compounds applied to the column from the diluent would be used as evidence for binding activity, or alternatively, where mixtures of compounds are applied to the column, elution and subsequent analysis would

-30-

determine the properties of the ganglioside binding agent. In the case of proteins, analysis would involve peptide sequencing and tryptic digest mapping followed by comparisons with available databases. In the event that eluted proteins cannot be identified in this way then standard biochemical analysis, for example mass determination by laser desorption mass spectrometry would be used to further characterise the compound. Non-proteins eluted from GM1-affinity columns would be analysed by HPLC and mass spectrometry of single homogenous peaks.

5

10

15

20

25

30

35

Another way of determining the ability to bind to GM1/Gb3 and the precise affinity of the interaction would be by using plasmon surface resonance as previously reported [Kuziemko et al (1996) Biochem 35:6375-6384].

Alternatively, phage display can be employed in the identification of candidate agents which bind GM1 or Gb3.

Phage display is a protocol of molecular screening which utilises recombinant bacteriophage. technology involves transforming bacteriophage with a gene that encodes an appropriate ligand (in this case a candidate agent) capable of reacting with GM1/Gb3 (or a derivative or homologue thereof) or the nucleotide sequence (or a derivative or homologue thereof) encoding same. The transformed bacteriophage (which preferably is tethered to a solid support) expresses the appropriate ligand (such as the candidate agent) and displays it on their phage coat. The entity or entities (such as cells) bearing the target molecules which recognises the candidate agent are isolated and amplified. The successful candidate agents are then characterised. Phage display has advantages over standard affinity ligand screening technologies. phage surface displays the candidate agent in a three

-31-

dimensional configuration, more closely resembling its naturally occurring conformation. This allows for more specific and higher affinity binding for screening purposes.

5

10

15

20

25

30

35

Another technique for screening provides for high throughput screening of agents having suitable binding affinity to GM1 or Gb3 and is based upon the method described in detail in WO 84/03564. In summary, large numbers of different small peptide test compounds are synthesized on a solid substrate, such as plastic pins or some other surface. The peptide test agents are reacted with the target interaction component fragments and washed. A bound target interaction component is then detected - such as by appropriately adapting methods well known in the art. A purified target interaction component can also be coated directly onto plates for use in the aforementioned drug screening techniques. Alternatively, non-neutralizing antibodies can be used to capture the peptide and immobilize it on a solid support.

In all aspects of the invention, the agent having GM1-binding activity or Gb3 binding activity may also be capable of cross-linking GM1 or Gb3 receptors. EtxB is one such agent which is capable of cross-linking GM1 receptors by virtue of its pentameric form.

There are various methods for identifying agents which have an effect on intracellular signalling events mediated by GM1/Gb3 binding but which do not themselves bind GM1 or Gb3. For example, if an agent is shown to upregulate CD25 or MHC class II on B cells, or to upregulate CD25 or promote apoptosis of CD8+ T cells, or to upregulate IL-10 secretion by monocytes, but the agent is shown not to bind GM1 or Gb3 (by, for example, one of the binding assays described above), then it can be concluded that the agent is capable of mimicing the effect of GM1/Gb3 binding.

5

10

15

20

25

30

35

The invention will now be illustrated by reference to the accompanying drawings and the following examples.

The examples refer to the figures in which:

Figure 1: shows the stimulation of total Ig and IgA in the serum (MS) and IgA in the eye washings (EW) in mice immunised with HSV-1 glycoproteins/rEtxB.

Figure 2: shows T cell proliferation of (mesenteric lymph node) MLN or (cervical lymph node) CLN lymphocytes in mice immunised with HSV-1/rEtxB.

Figure 3: shows T cell proliferation of cells from MLN and CLN of mice immunised intranasally with HSV-1 Gp in the presence of $1-20\mu g$ EtxB.

Figure 4: shows the level of anti-HSV-1 serum Ig in mice following administration of HSV-1 glycoproteins three times at 10 day intervals with variable amounts of rEtxB or rCtxB as adjuvant.

Figure 5: shows the reduction in virus shedding, clinical disease and latency in mice immunised with HSV-1/rEtxB.

Figure 6: shows the Ig isotype distribution in MS following infection with HSV-1 or immunisation with HSV-1 Gp in the presence of EtxB or CtxB as immunomodulator.

Figure 7: shows the distribution of Ig subclasses following intranasal administration of HSV-1 Gp with either rEtxB or rCtxB as immunomodulator.

Figure 8: shows the immunogenic effect of different amounts of rEtxB or rCtxB on the level of HSV-1 specific IgA in eye washings following administration with HSV-1 glycoproteins.

Figure 9: shows serum immunoglobulin response following immunisation of mice with HSV-1 or mock glycoproteins (gp) alone or in the presence of adjuvant.

Figure 10: shows mucosal IgA in eye washings

following intranasal immunisation of mice with HSV-1 or mock glycoproteins alone or in the presence of adjuvant.

Figure 11: shows mucosal IgA in vaginal washings following intranasal immunisation of mice with HSV-1 or mock glycoproteins (gp) alone or in the presence of adjuvant.

5

10

15

20

25

30

35

Figure 12: shows the level of HSV-1-specific immunoglobulin in sera from mice immunised with HSV-1 glycoproteins in the presence of different doses of rEtxB as adjuvant.

Figure 13: shows the level of IgA in eye washings of mice immunised with HSV-1 glycoproteins in the presence of varying concentrations of rEtxB.

Figure 14: shows the level of IgA in vaginal washings of mice immunised with HSV-1 glycoproteins in the presence of varying concentrations of rEtxB

Figure 15: shows IgG subclass distribution of the serum antibody response to HSV-1 following intranasal immunisation with Ctx/CtxB or rEtxB or ocular infection with HSV-1.

Figure 16: shows cytokine production from cultures of lymph node cells taken from mice which were either infected with HSV-1 by ocular scarification, or were immunised by intranasal administration of HSV-1 glycoproteins with Ctx/CtxB or rEtxB as adjuvant.

Figure 17: shows the level of protection against ocular HSV-1 infection in mice immunised intranasally with a mixture of HSV-1 or mock glycoproteins in the presence of rEtxB as immunomodulator.

Example 1: rEtxB can be used in conjunction with HSV-1 Gp for immunisation.

Mice were immunised intranasally three times with $10\mu g$ HSV-1 plycoproteins (Gp) with either 10 or $20\mu g$ rEtxB. Controls were either unmanipulated or given a

mock preparation of viral glycoprotein (mock) derived from HIV-uninfected tissue culture cells. Antibody levels are expressed as a percentage of post-infection levels. The production of total Ig and IgA in the serum and IgA in eye washings was stimulated by HSV-1 glycoproteins/rEtxB (Figure 1). The present inventors have also shown that doses of rEtxB as low as $0.1\mu g$ are also effective at stimulating such responses.

5

10

15

20

25

30

35

Also, T-lymphocytes from immunised mice from the cervical lymph node (which is local to the vaccination site) and from the mesenteric lymph node (which is distant to the vaccination site) were shown to proliferate when cultured in vitro with HSV-1, but not when cultured in vitro with mock HSV-1 Gp or without antigen (Figure 2).

The proliferation in response to HSV-1 Gp of T lymphocytes from MLN and CLN of mice immunised with HSV-1 Gp and varying amounts of EtxB is shown in Fig 3.

The production of Anti-HSV-1 serum Ig in mice following administration of HSV-1 glycoproteins at three day intervals with varying amounts of EtxB (or CtxB) is shown in Figure 4.

Finally, mice immunised with HSV-1 and rEtxB were shown to have a decrease in virus shedding following corneal scarification with HSV-1 (Figure 5a), and a decrease in local spreading (oedema and lid disease), spreading to the trigeminal ganglion (zosteriform infection), spreading to the central nervous system (encephalitis) and latency compared to controls (5b).

Example 2: rCtxB and rEtxB act as immunomodulators.

When EtxB is used as an immunomodulator, the Ig isotype distribution is skewed (Figure 6). The distribution of Ig subclasses is different depending on whether rCtxB or rEtxB is used as an immunomodulator (Figure 7).

-35-

Example 3: rEtxB is a more efficient immunomodulator than rCtxB.

The levels of HSV-specific IgA (Figure 8) and is greater following stimulation with rEtxB/HSV-1 Gp that rCtxB/HSV-1 Gp.

Example 4: (Figure 9)

5

10

15

20

25

30

35

Mice were immunised three times intranasally with HSV-1 glycoproteins alone, a mock preparation of HSV-1 glycoproteins (prepared by taking uninfected tissue culture cells and subjecting them to identical treatment regimes as those employed for the isolation and purification of HSV-1 proteins), or HSV-1 glycoproteins in combination with a variety of putative mucosal adjuvants. In each case the dose of HSV-1 glycoproteins was 10 µg per immunisation, and these were combined with 10µg of recombinant EtxB, or CtxB as adjuvant, or a mixture of $0.5\mu g$ of Ctx and $10\mu g$ CtxB. Three weeks after the final immunisation, blood samples were collected and total anti-HSV-1 antibodies were measured by ELISA. The quantities of antibodies are expressed as a percentage of the levels stimulated following ocular infection induced by scarification with 10⁵ pfu HSV-1 strain SC16. The data (shown in Figure 9) shows that the strongest serum antibody response is stimulated when antigen is combined with a mixture of whole Ctx and CtxB. However, a high level response is also stimulated when rEtxB is used as an adjuvant. In contrast, rCtxB is a very weak adjuvant.

Example 5: (Figure 10)

Mice were immunised as described in example 4. Secretory IgA production in the eye was assessed by taking washings of the tears over consecutive days and these samples were then pooled and subjected to ELISA analysis using a specific anti-IgA detecting antibody.

-36-

The quantities of antibodies are expressed as a percentage of the levels stimulated following ocular infection induced by scarification with 10⁵ pfu HSV-1 strain SC16. The data clearly demonstrates (Figure 10) that high levels of secreted anti-HSV-1 antibodies are produced following immunisation in the presence of either Ctx/CtxB or EtxB. In contrast to the results from analysis of serum antibody responses, there was no difference in the level of antibodies in the eye between those animals immunised with Ctx/CtxB or EtxB as adjuvants. As with serum antibody, there was clear evidence that rCtxB is a very poor adjuvant.

Example 6: (Figure 11)

5

10

15

20

25

30

35

Mice were immunised as described in example 4. Secretory IqA production in the vagina was assessed by taking washings from the genital tract over consecutive days and these samples were then pooled and subjected to ELISA analysis using a specific anti-IgA detecting antibody. The quantities of antibodies are expressed as endpoint titres which were calculated by linear regression analysis. The data clearly demonstrates that high levels of secreted anti-HSV-1 antibodies are produced in distant mucosal sites following immunisation in the presence of either Ctx/CtxB or In the vagina, the highest levels of antibodies were released following immunisation in the presence of rEtxB. Lower levels were released following immunisation with Ctx/CtxB and very little secretion was triggered by the use of rCtxB as adjuvant.

Example 7: (Figure 12)

Mice were immunised three times intranasally with HSV-1 glycoproteins (10 μ g) either alone or in the presence of escalating doses of rEtxB as adjuvant. Three weeks after the final immunisation blood was

-37-

taken, and the levels of anti-HSV-1 antibodies were assessed by ELISA. The quantities of antibodies are expressed as a percentage of the levels stimulated following ocular infection induced by scarification with 10^5 pfu HSV-1 strain SC16. The data clearly demonstrates that the capacity of rEtxB to trigger antibody responses to heterologous added antigens is a dose dependent phenomenon with maximal responsiveness occurring at approximately $20-50\mu g$ of rEtxB. Further, it is clear that at doses of $20\mu g$ rEtxB and above, the level of anti-HSV-1 antibodies stimulated by intranasal infection is comparable or greater than that stimulated by a live virulent virus infection.

Example 8: (figure 13)

Mice were immunised as described in example 7. Secretory IgA production in the eye was assessed by taking washings of the tears over consecutive days and these samples were then pooled and subjected to ELISA analysis using a specific anti-IgA detecting antibody. The quantities of antibodies are expressed as a percentage of the levels stimulated following ocular infection induced by scarification with 10⁵ pfu HSV-1 strain SC16. The data demonstrates that maximal IgA responses in the eye are stimulated when HSV-1 glycoproteins are given in combination with 20µg of rEtxB or above. At this dose the levels of IgA production are nevertheless lower than those triggered during virus infection of the eye.

5

10

15

20

25

30

35

Example 9: (Figure 14)

Mice were immunised as described in example 7. Secretory IgA production in the vagina was assessed by taking washings from the genital tract over consecutive days and these samples were then pooled and subjected to ELISA analysis using a specific anti-IgA detecting

-38-

antibody. The quantities of antibodies are expressed as endpoint titres which were calculated by linear regression analysis. The data shows that optimal anti-HSV-1 responses are stimulated in the vagina when $20\mu g$ or above of rEtxB is used as an adjuvant.

Example 10: (Figure 15)

5

10

15

20

25

3.0

35

Mice were either infected with 10⁵ pfu HSV-1 strain SC16 by scarification into the cornea or immunised three times intranasally with $10\mu g$ HSV-1 glycoproteins in combination with Ctx/CtxB or rEtxB. Three weeks after the final inoculation, serum was taken and was analysed by ELISA for the presence of IgG1 and IgG2a against HSV-1. The quantities of antibodies are expressed as endpoint titres which were calculated by linear regression analysis (fig. 7a). The data clearly shows that the nature of the antibody response to HSV-1 is influenced by the way in which the antigens are presented to the immune system. with HSV-1 predominantly activates Th1 associated antibody production, as characterised by the high levels of the complement fixing antibody isotype, IqG2a. Infection stimulates relatively low levels of the Th2 associated IgG isotype, IgG1. This profile of the immune response is clearly visible when the data is expressed as a ratio of IgG1:IgG2a as shown in fig. 7b. The ratio is substantially less than 1 following infection. Intranasal immunisation in the presence of Ctx/CtxB as adjuvant triggers the release, predominantly, of Th2 associated IgG1. Significant levels of IgG2a are also produced suggesting that Ctx/CtxB causes activation of Th1 and Th2 cells. activation of both responses and the relative dominance of Th2 is reflected in the IgG1:IgG2a ratio which is approximately 3. Interestingly the nature of the response to HSV-1 stimulated by rEtxB as adjuvant is

-39-

almost exclusively Th2 dominated. High levels of IgG1 are produced with only very low amounts of IgG2a. This strong bias toward Th2 responsiveness is reflected in an IgG1:IgG2a ratio of approximately 9.

5

10

15

20

25

30

Example 11: (Figure 16)

Mice were either infected with 105 pfu HSV-1 strain SC16 by scarification into the cornea or immunised three times intranasally with $10\mu g$ HSV-1 glycoproteins in combination with Ctx/CtxB or rEtxB. Three weeks after the final inoculation lymph nodes were removed from animals and were used to generate single cell suspensions that were cultured either in the presence of killed HSV-1 or a mock preparation of virus from non-infected tissue culture cells. 4 to 7 of the cultures, samples of cells were removed and subjected to cELISA analysis to reveal the secretion of cytokines. The data clearly shows that Tcells in the cultures were capable of responding to HSV-1, but not significantly to mock virus preparations. Lymph node cells taken from mice which had been infected with HSV-1 produced predominantly the Th1 associated cytokine y-interferon (y-IFN). Lymph node cells taken from animals that were immunised intranasally produced high levels of the Th2 associated cytokines, IL-4 and IL-10. In addition, both Ctx/CtxB and rEtxB had led to the activation of T-cells which secreted YIFN upon in vitro stimulation with HSV-1. This indicates that although the response to these adjuvants is dominated by the production of Th2 cytokines some Th1 activation also occurs. These findings are consistent with those from the analysis of antibody responses.

WO 99/58145

PCT/GB99/01461

CLAIMS

5

10

15

20

25

30

35

- 1. The use of:
- (i) EtxB, CtxB or VtxB free from whole toxin;
- (ii) an agent other than EtxB or CtxB, having GM1binding activity, or an agent other than VtxB having Gb3-binding activity; or
- (iii) an agent having an effect on
 intracellular signalling events mediated by GM1-binding
 or Gb3 binding;

as an immunomodulator for a vaccine against infectious diseases.

- 2. The use according to claim 1, wherein the immunomodulator is EtxB free from whole toxin.
- 3. The use according to claim 1 or 2, wherein the infectious disease is one for which the infectious agent is a member of the herpes virus family.
- 4. The use according to claim 3, wherein the infectious disease is caused by an infectious agent, and the infectious agent is selected from the group consisting of HSV-1, HSV-2, EBV, VZV, CMV, HHV-6, HHV-7 and HHV-8.
- 5. The use according to claim 4, wherein the infectious agent is selected from the group consisting of HSV-1, HSV-2, CMV or EBV.
- 6. The use according to claim 1 or 2, wherein the infectious disease is caused by an infectious agent, and the infectious agent is an influenza virus.
 - 7. The use according to claim 1 or 2, wherein the infectious disease is caused by an infectious agent, and the infectious agent is a parainfluenza virus.
 - 8. The use according to claim 1 or 2, wherein the infectious disease is caused by an infectious agent, and the infectious agent is a respiratory syncytial virus.
 - 9. The use according to claim 1 or 2, wherein

-41-

the infectious disease is caused by an infectious agent, and the infectious agent is a hepatitis virus.

10. The use according to claim 9, wherein the infectious agent is selected from the group consisting of hepatitis A, B, C and D viruses.

5

10

15

20

25

30

35

- 11. The use according to claim 10, wherein the infectious agent is a hepatitis A virus or a hepatitis C virus.
- 12. The use according to claim 1 or 2, wherein the infectious disease is meningitis.
- 13. The use according to claim 12, wherein the infectious disease is caused by an infectious agent, and the infectious agent is selected form the group consisting of Neisseria meningitidis, Haemophilus influenzae type B and Streptococcus pneumoniae.
- 14. The use according to claim 1 or 2, wherein the infectious disease is pneumonia or a respiratory tract infection.
- 15. The use according to claim 14, wherein the infectious disease is caused by an infectious agent, and the infectious agent is selected from the group consisting of Streptococcus pneumoniae, Legonella pneumophila and Mycobacterium tuberculosis.
- 16. The use according to claim 1 or 2, wherein the infectious disease is a sexually-transmitted disease.
- 17. The use according to claim 16, wherein the infectious disease is caused by an infectious agent, and the infectious agent is selected from the group consisting of Neisseria gonnorheae, HIV-1, HIV-2 and Chlamydia trachomatis.
- 18. The use according to claim 1 or 2, wherein the infectious disease is a gastrointestinal disease.
- 19. The use according to claim 18, wherein the infectious disease is caused by an infectious agent,

5

10

15

20

25

30

and the infectious agent is selected from the group consisting of enteropathogenic, enterotoxigenic, enteroinvasive, enterohaemorrhagic and enteroaggregative E.coli, rotavirus, Salmonella enteritidis, Salmonella typhi, Helicobacter pylori, Bacillus cereus, Campylobacter jejuni and Vibrio cholerae.

- 20. The use according to claim 1 or 2, wherein the infectious disease is a superficial infection.
- 21. The use according to claim 20, wherein the infectious disease is caused by an infectious agent, and the infectious agent is selected from the group consisting of Staphylococcus aureus, Streptococcus pyogenes and Streptococcus mutans.
 - 22. The use according to claim 1 or 2, wherein the infectious disease is a parasitic disease.
 - 23. The use according to claim 22, wherein the infectious disease is caused by an infectious agent, and the infectious agent is selected from the group consisting of malaria, *Trypanasoma* spp., *Toxoplasma* gondii, *Leishmania* donovani and *Oncocerca* spp.
 - 24. A vaccine composition for use against an infectious disease, which infectious disease is caused by an infectious agent, wherein the vaccine composition comprises an antigenic determinant and an immunomodulator selected from:
 - (i) EtxB. CtxB or VtxB free from whole toxin;
 - (ii) an agent other than EtxB or CtxB, having GM1binding activity, or an agent other than VtxB having Gb3-binding activity; or
 - (iii) an agent having an effect on
 intracellular signalling events mediated by GM1-binding
 or Gb3 binding;

wherein said antigenic determinant is an antigenic

-43-

determinant of said infectious agent.

5

10

15

20

25

30

35

- 25. A vaccine composition according to claim 24 in which the infectious disease is HSV-1 infection and wherein the antigenic determinant is an antigenic determinant of HSV-1.
- 26. A vaccine composition according to claim 24 or 25 in which the immunomodulator is EtxB free from whole toxin.
- 27. A vaccine composition according to claim 24, 25 or 26 in which the immunomodulator and the antigenic determinant are separate moieties.
- 28. A vaccine composition according to claim 24, 25 or 26 in which the immunomodulator and the antigenic determinant are linked by a bifunctional crosslinking reagent.
- 29. A kit for vaccination of a mammalian subject against an infectious disease, which kit comprises:
 - a) one of the following agents:
 - (i) EtxB, CtxB or VtxB free from whole toxin;
- (ii) an agent other than EtxB or CtxB, having GM1binding activity, or an agent other than VtxB having Gb3-binding activity; or
- (iii) an agent having an effect on
 intracellular signalling events mediated by GM1-binding
 or Gb3 binding; and
- b) an antigenic determinant which is an antigenic determinant of the infectious disease, for coadministration with the said vaccine immunomodulator.
- 30. A method of preventing or treating a disease in a host, which method comprises the step of inoculating said host with a vaccine comprising at least one antigenic determinant and an immunomodulator, where the immunomodulator is:
 - (i) EtxB, CtxB or VtxB free from whole toxin;
- (ii) an agent other than EtxB or CtxB, having GM1binding activity, or an agent other than VtxB having

WO 99/58145

-44-

PCT/GB99/01461

Gb3-binding activity; or

- (iii) an agent having an effect on intracellular signalling events mediated by GM1-binding or Gb3 binding.
 - 31. The use of:

5

10

15

20

25

30

- (i) EtxB, CtxB or VtxB free from whole toxin;
- (ii) an agent other than EtxB or CtxB, having GM1binding activity, or an agent other than VtxB having Gb3-binding activity; or
- (iii) an agent having an effect on
 intracellular signalling events mediated by GM1-binding
 or Gb3 binding

to upregulate the production of antibodies at mucosal surfaces.

32. The use of:

- (i) EtxB, CtxB or VtxB free from whole toxin;
- (ii) an agent other than EtxB or CtxB, having GM1binding activity, or an agent other than VtxB having Gb3-binding activity; or
- (iii) an agent having an effect on
 intracellular signalling events mediated by GM1-binding
 or Gb3 binding;

as an immunomodulator in a vaccine, to prolong antigen presentation and give sustained immunological memory in a mammalian subject.

- 33. A vaccine composition for use against an infectious disease, which infectious disease is caused by an infectious agent, which vaccine comprises an antigenic determinant and a immunomodulator selected from:
 - (i) EtxB, CtxB or VtxB free from whole toxin;
- (ii) an agent other than EtxB or CtxB, having GM1binding activity, or an agent other than VtxB having Gb3-binding activity; or
- 35 (iii) an agent having an effect on intracellular signalling events mediated by GM1-binding

or Gb3 binding;

5

10

15

20

25

30

wherein said antigenic determinant is an antigenic determinant of said infectious agent and wherein the immunomodulator prolongs presentation of the antigenic determinant and gives sustained immunological memory.

- 34. The use of:
- (i) EtxB, CtxB or VtxB free from whole toxin;
- (ii) an agent other than EtxB or CtxB, having GM1binding activity, or an agent other than VtxB having Gb3-binding activity; or
- (iii) an agent which has an effect on
 vesicular internalisation mediated by GM1-binding or
 Gb3 binding;

in a conjugate with antigen or antigenic determinant to target the delivery or said antigen or antigenic determinant to the cytosol or nucleus of an antigen presenting cell.

- 35. The use of:
- (i) EtxB, CtxB or VtxB free from whole toxin;
- (ii) an agent other than EtxB or CtxB, having GM1binding activity, or an agent other than VtxB having Gb3-binding activity; or
- (iii) an agent which has an effect on
 vesicular internalisation mediated by GM1-binding or
 Gb3 binding;

in a conjugate with antigen or antigenic determinant to upregulate the presentation of said antigenic determinant, or an antigenic determinant derived from said antigen, by MHC class I molecules.

- 36. A vaccine composition which comprises:
- a) EtxB, CtxB, or an agent other than EtxB or CtxB which has GM1-binding activity; and
- b) an EBV antigen

for use in the treatment and/or prevention of EBVassociated diseases.

37. A therapeutic composition which comprises:


-46-

EtxB, CtxB or an agent other than EtxB or CtxB which has GM1-binding activity for use in the treatment of EBV-associated diseases.


5

1/15

FIGURE 1








3/15


FIGURE 3



SUBSTITUTE SHEET (RULE 26)

4/15

FIGURE 4



SUBSTITUTE SHEET (RULE 26)

WO 99/58145

Figure 5a. Incidence of virus shedding from the eye following corneal scarification of mice with HSV-1 (SC16)

Day post infection	10μg rEtxB + HSV-1 gp (%)¹	20μg rEtxB + HSV-1 gp (%)	20μg rEtxB + mock gp² (%)
1	Ò	30	60
2	60	80	95
3	60	80	95
6	10	0	70
7	10	0	70
8	0	0	10
9	0	0	0

¹ Percentage of animals from which wash fluid from the eye secretions revealed the presence of live viral particles in a plaque assay.

Figure 5b. Clinical disease following corneal scarification of mice with HSV-1 (SC16)

							Latency	ı
	Corneal ulcers ²	Oedema	Lid disease	Zosteriform infection	Encephalitis	TG1	TG2	TG3
10µg rEtxB + HSV-1 gp	80%	0%	0%	0%	0%	22%	11%	0%
20µg rEtxB + HSV-1 gp	70%	0%	0%	0%	0%	80%	10%	0%
20µg rEtxB + mock gp	80%	45%	55%	40%	40%	83%	30%	16%

¹ Latency was determined by extraction of the trigerninal ganglion (TG) from surviving mice 2 months after infection and coculturing with Vero cells. Figures given are for each of the lobes of the TG (TG1, TG2 and TG3).

N=15 per group

² Mock infected animals were given an inoculum of glycoproteins prepared from uninfected tissue culture cells.

² Figures are percentage of animals showing signs of the described symptoms at any point during acute infection. Each mouse was examined on a daily basis during the first 11 days of infection.

Ig Isotype distribution in MS from mice following infection (pos) or immunisation with HSV-1 Gp in the presence of EtxB or CTB as adjuvant




FIG. 7
Adjuvant effect of different amounts of rEtxB or rCtB on the level of HSV-1 specific IgA in eye washings following administration with HSV-1 glycoproteins






FIG 8. Distribution of subclasses following administration of HSV-1 Gp i.n. with either rEtxB or rCTB as adjuvant



Serum immunoglobulin response following immunisation of mice with HSV-1

or mock glycoproteins (gp) alone or in the presence of adjuvant

FIGURE 9



* antibody levels were measured by ELISA and are expressed as a percentage of the levels stimulated following ocular infection induced by scarification with 105 pfu HSV-1 strain SC16.


Ctx/CtxB = 0.5µg Ctx + 10µg CtxB rETxB = 10µg recombinant EtxB gp = 10µg HSV-1 or mock glycoproteins as indicated.

Mucosal IgA in eye washings following intranasal immunisation of mice with HSV-1

or mock glycoproteins (gp) alone or in the presence of adjuvant

8/15

FIGURE 10




* antibody levels were measured by BLISA and are expressed as a percentage of the levels stimulated following ocular infection induced by scarification with 105 pfu HSV-1 strain SC16. gp = $10\mu g$ HSV-1 or mock glycoproteins as indicated. $Ctx/CtxB = 0.5\mu g Ctx + 10\mu g CtxB$ rВТxВ = 10µg recombinant EtxB

Mucosal IgA in vaginal washings following intranasal immunisation of mice with HSV-1

or mock glycoproteins (gp) alone or in the presence of adjuvant

FIGURE 11




* antibody levels were measured by ELISA and are expressed as end point titres calculated by linear regression analysis gp = 10µg HSV-1 or mock glycoproteins as indicated. $Ctx/CtxB = 0.5\mu g Ctx + 10\mu g CtxB$ rETxB = 10µg recombinant EtxB

10/15

FIGURE 12

Level of HSV-1-specific immunoglobulin in sera from mice immunised with HSV-1 glycoproteins in the presence of different doses of rEtxB as adjuvant




* antibody levels were measured by ELISA and are expressed as a percentage of the levels stimulated following ocular infection induced by scarification with 10⁵ pfu HSV-1 strain SC16.

11/15

FIGURE 13


Level of IgA in eye washings of mice immunised with HSV-1 glycoproteins in the presence of varying concentrations of rEtxB



^{*} antibody levels were measured by ELISA and are expressed as a percentage of the levels stimulated following ocular infection induced by scarification with 10⁵ pfu HSV-1 strain SC16.

12/15 FIGURE 14


Level of IgA in vaginal washings of mice immunised with HSV-1 glycoproteins in the presence of varying concentrations of rEtxB



^{*} antibody levels were measured by ELISA and are expressed asendpoint titres calculated using linear regression analysis.


13/15 FIGURE 15

IgG subclass distribution of the serum antibody response to HSV-1 following intransal immunisation with Ctx/CtxB or rETxB or ocular infection with HSV-1



SUBSTITUTE SHEET (RULE 26)

14/15



Values are expressed from cultures from mice immunised intranasally with 10µg HSV-1 glycoproteins with either Ctx/CtxB or rETxB Cytokines were measured using cELISA and quantities calculated against standard curves prepared using recombinant cytokines. as adjuvant, and cultured with whole killed HSV-1 (HSV-1) or identically treated mock virus preparation (Mock antigen)

15/15

with a mixture of HSV-1 or mock glycoproteins in the presence of rEtxB as adjuvant Level of protectionagainst ocular HSV-1 infection in mice immunised intranasally

p		FIGURE 17	
	теш	%0	16%
Latency	ТСП	11%	30%
I	TGI	22%	83%
Encephal-	itis	%0	20%
Zosteriform Encephal-	Infection	3%	72%
Lid	Disease	%0	74%
Opacity/	Oedema	10%	%89
Corneal	Ulcers	%69	%08
Imminisofion	Ulcers	10µg HSV-1 gp + 10µg rEtxB per dose	10µg mock gp + 10µg rExB per dose

'n=29 2n=30

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:

A61K 39/12, 38/16, 39/245, 39/385

(43) International Publication Number: WO 99/58145

(43) International Publication Date: 18 November 1999 (18.11.99)

(21) International Application Number: PCT/GB99/01461

(22) International Filing Date: 10 May 1999 (10.05.99)

(30) Priority Data: 9809958.3 8 May 1998 (08.05.98)

9809958.3 8 May 1998 (08.05.98) GB 9811954.8 3 June 1998 (03.06.98) GB 9812316.9 8 June 1998 (08.06.98) GB

(71) Applicant (for all designated States except US): UNIVERSITY OF BRISTOL [GB/GB]; Senate House, Tyndall Avenue, Clifton, Bristol BS8 1TH (GB).

(72) Inventors; and

(75) Inventors/Applicants (for US only): HIRST, Timothy, Raymond [GB/GB]; 30 Albert Road, Clevedon, North Somerset BS21 7RR (GB). WILLIAMS, Neil, Andrew [GB/GB]; 16 Old Coach Road, Cross, Axbridge, Somerset BS26 2EF (GB).

(74) Agent: NASH, David, Allan, Haseltine Lake & Co., Imperial House, 15-19 Kingsway, London WC2B 6UD (GB).

(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(88) Date of publication of the international search report: 3 February 2000 (03.02.00)

(54) Title: IMMUNOMODULATORS FOR VACCINES

(57) Abstract

There is disclosed the use of: (i) EtxB, CtxB or VtxB free from whole toxin; (ii) an agent other than EtxB or CtxB, having GM1-binding activity, or an agent other than VtxB having Gb3-binding activity; or (iii) an agent having an effect on intracellular signalling events mediated by GM1-binding or Gb3 binding; as an immunomodulator for a vaccine against infectious diseases.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
ВВ	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
ВJ	Benin	IE	Ireland	MN	Mongolia	UA.	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IТ	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JР	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugosiavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK- ·	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

INTERNATIONAL SEARCH REPORT

I...urnational application No.

PCT/GB 99/01461

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)
This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1. X Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely: Remark: Although claims 1-23,30,31,34 and 35 are directed to a methodof treatment of the human/animal body, the search has been carried out and based on the alleged effects of the compound/composition.
Claims Nos.: because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
3. Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This International Searching Authority found multiple inventions in this international application, as follows:
As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
Remark on Protest The additional search fees were accompanied by the applicant's protest.
No protest accompanied the payment of additional search fees.